

| |
|--|
| <p>Informatieveiligheidscomité Kamer sociale zekerheid en gezondheid</p> |
|--|

IVC/KSZG/20/524

BERAADSLAGING NR. 20/286 VAN 1 DECEMBER 2020 MET BETREKKING TOT DE MEDEDELING VAN GEPSEUDONIMISEERDE PERSOONSGEGEVENS DIE DE GEZONDHEID BETREFFEN UIT DE BELGISCHE GEZONDHEIDSENQUÊTE 2013 DOOR SCIENSANO AAN DE UNIVERSITÉ CATHOLIQUE DE LOUVAIN (UCL) IN HET KADER VAN EEN STUDIE OVER HET GEBRUIK VAN DE ANTICONCEPTIEPIL IN BELGIË, FRANKRIJK EN ZWITSERLAND

Gelet op de Verordening (EU) nr. 2016/679 van het Europees Parlement en de Raad van 27 april 2016 betreffende de bescherming van natuurlijke personen in verband met de verwerking van persoonsgegevens en betreffende het vrije verkeer van die gegevens en tot intrekking van Richtlijn 95/46/EG (Algemene Verordening Gegevensbescherming);

Gelet op de wet van 3 december 2017 *tot oprichting van de Gegevensbeschermingsautoriteit*, in het bijzonder artikel 114, gewijzigd bij de wet van 25 mei 2018;

Gelet op de wet van 30 juli 2018 *betreffende de bescherming van natuurlijke personen met betrekking tot de verwerking van persoonsgegevens*;

Gelet op de wet van 13 december 2006 *houdende diverse bepalingen betreffende gezondheid*, in het bijzonder artikel 42, § 2, 3°, gewijzigd bij de wet van 5 september 2018;

Gelet op de wet van 15 januari 1990 *houdende oprichting en organisatie van een Kruispuntbank van de Sociale Zekerheid*, inzonderheid op artikel 37;

Gelet op de wet van 5 september 2018 *tot oprichting van het informatieveiligheidscomité en tot wijziging van diverse wetten betreffende de uitvoering van verordening (EU) 2016/679 van 27 april 2016 van het Europees Parlement en de Raad betreffende de bescherming van natuurlijke personen in verband met de verwerking van persoonsgegevens en betreffende het vrije verkeer van die gegevens en tot intrekking van richtlijn 95/46/EG*, in het bijzonder artikel 97;

Gelet op de wet van 21 augustus 2008 *houdende oprichting en organisatie van het eHealth-platform*;

Gelet op de machtigingsaanvraag van de UCL;

Gelet op het auditoraatsrapport van het eHealth-platform;

Gelet op het verslag van de heer Bart Viaene;

Beslist op 1 december 2020, na beraadslaging, als volgt:

I. VOORWERP VAN DE AANVRAAG

A. DE BELGISCHE GEZONDHEIDSENQUÊTE

1. Het Wetenschappelijk Instituut Volksgezondheid (WIV)¹, het huidige Sciensano, werd er in 2012 mee belast om ten behoeve van onder meer de federale overheid, de gemeenschappen en de gewesten, vijfjaarlijks een Nationale Gezondheidsenquête te organiseren door middel van een bevraging van een steekproef van de Belgische bevolking. Aan de hand van de resultaten kunnen de reële gezondheidsbehoeften van de Belgische bevolking worden vastgesteld, kunnen de verbanden tussen de gezondheidstoestand, bepaalde factoren (leefwijze, omgeving, socio-economisch status, ...) en het gebruik van (preventieve of curatieve) gezondheidszorg worden achterhaald en kunnen de beleidsbeslissingen inzake volksgezondheid worden ondersteund.
2. De Nationale Gezondheidsenquête wordt uitgevoerd onder de verantwoordelijkheid van het WIV, dat evenwel voor bepaalde praktische aspecten (in het bijzonder het trekken van de steekproef en het bevragen van de steekproefpersonen) een beroep doet op de diensten van de Algemene Directie Statistiek en Economische Informatie van de federale overheidsdienst Economie, KMO, Middenstand en Energie in de hoedanigheid van verwerker.
3. De vijfjaarlijkse bevraging gebeurt op vrijwillige basis bij een willekeurige gewogen steekproef van minstens tienduizend personen die in België wonen. Deze steekproef wordt getrokken uit het rijksregister van de natuurlijke personen door de Algemene Directie Statistiek en Economische Informatie - 3.500 personen afkomstig uit Vlaanderen, 3.500 personen afkomstig uit Wallonië en 3.000 personen afkomstig uit Brussel (in 2013 werden 450 personen uit de provincies Namen en Luxemburg toegevoegd op uitdrukkelijke vraag van de bevoegde overheden).
4. De persoonsgegevens die worden ingezameld aan de hand van interviews worden door de Algemene Directie Statistiek gepseudonimiseerd alvorens ze ter beschikking worden gesteld van het WIV. Deze codering bestaat erin het identificatienummer van de sociale zekerheid van elke betrokkene te vervangen door een betekenisloos volgnummer. De Algemene Directie Statistiek bewaart als enige het verband tussen beide nummers.
5. Het WIV voert een tweede codering uit en bewaart de dubbel gecodeerde persoonsgegevens op een specifieke server. Wanneer een derde gemachtigd is om toegang te hebben, ontvangt die een gepersonaliseerde login en paswoord aan de hand waarvan hij de gegevens van het WIV kan downloaden.

¹ Het Wetenschappelijk Instituut Volksgezondheid (WIV) en het Centrum voor Onderzoek in Diergeneeskunde en Agrochemie (CODA) zijn sinds 1 april 2018 samengevoegd tot het nieuwe federale onderzoekscentrum Sciensano. Zie hiertoe de wet van 25 februari 2018 tot oprichting van Sciensano, *B.S.* 21 maart 2018, p. 27924.

6. De afdeling gezondheid van het sectoraal comité heeft een positieve aanbeveling verleend met betrekking tot de verwerking van persoonsgegevens in het kader van de Nationale Gezondheidsenquête (aanbeveling nr. 12/03 van 20 november 2012).
7. Het IMA heeft in juli 2015 een “small cell”-risicoanalyse uitgevoerd op het geheel van de gecodeerde persoonsgegevens die verkregen werden uit de Nationale Gezondheidsenquête die in 2013 werd georganiseerd, teneinde de mogelijkheid tot heridentificatie van de betrokkenen uit te sluiten. Het Comité heeft het rapport van deze analyse ontvangen.

B. MEDEDELING VAN EEN SELECTIE VAN GEPSEUDONIMISEERDE PERSOONSgegevens DIE DE GEZONDHEID BETREFFEN

8. Een studente van de “Centre de recherche en démographie” van de UCL wenst, onder supervisie van professor Bruno Schoumaker, een selectie van gepseudonimiseerde persoonsgegevens die de gezondheid betreffen uit de gezondheidsenquête 2013 te verkrijgen.
9. Deze studie wordt in het kader van een doctoraatsthesis uitgevoerd. Het betreft een studie over de risico's van de orale anticonceptie in België, Frankrijk en Zwitserland. Deze studie heeft tot doel om de impact na te gaan van een vermindering van het gebruik van medische anticonceptie in bepaalde socio-economische groepen en om de sociale ongelijkheid na te gaan op het vlak van de reproductieve gezondheid.
10. De onderzoekster wenst kwantitatieve en kwalitatieve gegevens te gebruiken die in die 3 landen beschikbaar zijn. Voor België wenst de onderzoekster een selectie van gepseudonimiseerde gegevens uit de gezondheidsenquête 2013 te krijgen om de volgende hypothesen te kunnen ontwikkelen:
 - 1° de manier waarop de drie verschillende nationale gezondheidszorgsystemen bijdragen tot het ontwikkelen van sociale ongelijkheid op het vlak van reproductieve gezondheid met elkaar vergelijken;
 - 2° de tendensen van het gebruik van anticonceptiemiddelen door mannen en vrouwen met elkaar te vergelijken om na te gaan of een verminderd gebruik van de pil tot een grotere bijdrage van mannen aan de “anticonceptie” heeft geleid;
 - 3° de evolutie bestuderen van de determinanten voor de keuze van het anticonceptiemiddel volgens de socio-economische status van de personen om na te gaan of de evolutie van het gebruik van anticonceptiemiddelen na de recente controverse in de media over de pil het resultaat is van een toename van de ongelijkheid op het vlak van reproductieve gezondheid of van een onderscheid in de determinanten voor de keuze van een anticonceptiemethode.
11. De volgende gepseudonimiseerde persoonsgegevens die de gezondheid betreffen worden door Sciensano aan de onderzoeker overgemaakt²:
 - een selectie van gegevens uit module 1 - sociodemografische kenmerken van de personen die aan de enquête hebben deelgenomen en van hun gezinsleden;

² De gedetailleerde lijst van de gevraagde variabelen werd als bijlage bijgevoegd. Het Comité herinnert eraan dat hier geen enkele wijziging aan mag gebeuren zonder zijn goedkeuring.

- een selectie van gegevens uit module 2, ofwel de submodules 2.1 (gezondheidsbeleving) en 2.2 (chronische aandoeningen);
- een selectie van gegevens uit module 3, ofwel de submodules 3.2 (tabaksgebruik) en 3.8 (seksuele gezondheid);
- een selectie van gegevens uit module 4, ofwel de submodules 4.1 (contact met een hulpverlener), 4.2 (contact met een specialist), 4.9 (gebruik van geneesmiddelen), 4.10 (financiële toegang tot gezondheidsdiensten) en 4.11 (ervaring van de patiënten);
- een selectie van gegevens uit module 6, ofwel de gegevens met betrekking tot het beroep op preventieve gezondheidszorg.

12. De gepseudonimiseerde gegevens zullen op een beveiligde server door de UCL worden bewaard tot 1 januari 2028.

II. BEVOEGDHEID

13. Ingevolge artikel 42, § 2, 3^o van de wet van 13 december 2006 *houdende diverse bepalingen betreffende gezondheid* is de kamer sociale zekerheid en gezondheid van het Informatieveiligheidscomité in beginsel bevoegd voor het verlenen van een principiële beraadslaging met betrekking tot elke mededeling van persoonsgegevens die de gezondheid betreffen.
14. De kamer sociale zekerheid en gezondheid van het Informatieveiligheidscomité acht zich bijgevolg bevoegd om zich uit te spreken over deze aanvraag.

III BEHANDELING

A. TOELAATBAARHEID

15. De verwerking van persoonsgegevens die de gezondheid betreffen is in principe verboden, overeenkomstig artikel 9, § 1, van de Verordening (EU) 2016/679 van 27 april 2016 betreffende de bescherming van natuurlijke personen in verband met de verwerking van persoonsgegevens en betreffende het vrije verkeer van die gegevens en tot intrekking van richtlijn 95/46/EG (algemene verordening gegevensbescherming), hierna AVG genoemd.
16. Volgens artikel 9, § 2, j) van de AVG is dit verbod niet van toepassing wanneer de verwerking noodzakelijk is voor wetenschappelijk onderzoek of statistische doeleinden, overeenkomstig artikel 89, lid 1, op grond van Unierecht of lidstatelijk recht, waarbij de evenredigheid met het nagestreefde doel wordt gewaarborgd, de wezenlijke inhoud van het recht op bescherming van persoonsgegevens wordt geëerbiedigd en passende en specifieke maatregelen worden getroffen ter bescherming van de grondrechten en de belangen van de betrokkene.

17. In het licht van het voorgaande is het Informatieveiligheidscomité van oordeel dat er een toelaatbare grond bestaat voor de beoogde verwerking van gepseudonimiseerde persoonsgegevens die de gezondheid betreffen.

B. PRINCIPES MET BETREKKING TOT DE VERWERKING VAN PERSOONSGEGEVENS

18. Volgens artikel 5 van de AVG moeten de persoonsgegevens op een wijze die ten aanzien van de betrokkene rechtmatig, behoorlijk en transparant is worden verwerkt. Ze moeten voor welbepaalde, uitdrukkelijk omschreven en gerechtvaardigde doeleinden worden ingezameld en mogen vervolgens niet verder op een met die doeleinden onverenigbare wijze worden verwerkt.
19. De aanvrager verklaart dat de aanvraag als doel heeft om de impact te evalueren van een vermindering van het gebruik van de medische anticonceptie in bepaalde socio-economische groepen en om de sociale ongelijkheid na te gaan op het vlak van de reproductieve gezondheid in België, Frankrijk en Zwitserland.
20. Gelet op de doelstellingen van de verwerking zoals hierboven beschreven, oordeelt het Informatieveiligheidscomité dat de verwerking van de voormelde persoonsgegevens wel degelijk welbepaalde, uitdrukkelijk omschreven en gerechtvaardigde doeleinden nastreeft.
21. In artikel 5, § 1, van de AVG wordt bepaald dat de persoonsgegevens toereikend, ter zake dienend en beperkt moeten zijn tot wat noodzakelijk is voor de doeleinden waarvoor zij worden verwerkt.
22. De aanvrager verklaart dat de verwerking van de verschillende gepseudonimiseerde persoonsgegevens noodzakelijk is om de volgende redenen:
- *Een selectie van gegevens uit module 1 - sociodemografische kenmerken van de personen die aan de enquête hebben deelgenomen en van hun gezinsleden: deze gegevens zijn noodzakelijk voor onze analyses om de echtelijke/gezinstoestand van de personen te vast te leggen (leeftijd, als koppel, aantal kinderen) en hun sociale klasse (socio-economische toestand) te bepalen;*
 - *Een selectie van gegevens uit module 2, ofwel de submodules 2.1 (gezondheidsbeleving) en 2.2 (chronische aandoeningen): de gevraagde informatie is noodzakelijk om na te gaan of bepaalde anticonceptiemiddelen om gezondheidsredenen niet aan te raden zijn (het gebruik van hormonale anticonceptie is niet aangewezen bij vrouwen met migraine of cardiovasculaire aandoeningen);*
 - *Een selectie van gegevens uit module 3, ofwel de submodules 3.2 (tabaksgebruik) en 3.8 (seksuele gezondheid): de informatiegegevens over de seksuele gezondheid vormen de variabelen die van belang zijn voor het onderzoek. Bovendien kunnen de gegevens over tabaksgebruik ons inlichten over de reden van het gebruik van de verschillende anticonceptiemiddelen: de combinatie van pilgebruik en roken van tabak wordt sterk afgeraden bij vrouwen ouder dan 35 jaar;*

- *Een selectie van gegevens uit module 4, ofwel de submodules 4.1 (contact met een hulpverlener), 4.2 (contact met een specialist), 4.9 (gebruik van geneesmiddelen), 4.10 (financiële toegang tot gezondheidsdiensten) en 4.11 (ervaring van de patiënten):* aan de hand van de informatie over de toegang tot de gezondheidszorg kunnen we de moeilijkheden inzake de toegang tot de gezondheidszorg beter afbakenen. Op basis van de informatie over het gebruik van geneesmiddelen komen we te weten welk soort anticonceptiemiddel door de vrouwen wordt gebruikt (merk van de pil);
- *Een selectie van gegevens uit module 6, ofwel de gegevens met betrekking tot het beroep op preventieve gezondheidszorg:* aan de hand van deze gegevens kunnen we de gynaecologische opvolging van de vrouwen beter bepalen maar kunnen we hun gezondheidstoestand ook achterhalen, onder meer wat de cardiovasculaire risico's betreft. De gegevens met betrekking tot de kennis over HIV en het beroep op screeningstesten zullen in verband worden gebracht met het gebruik van een voorbehoedsmiddel.

- 23.** Het Comité stelt bovendien vast dat de variabele met betrekking tot de leeftijd van de personen ofwel in klassen, ofwel in jaren zal worden meegedeeld. De onderzoekster wenst tevens het geboortejaar van de persoon te krijgen om een meer gedetailleerde studie en een generatiestudie te kunnen realiseren. Het Comité beschouwt dit verzoek als aanvaardbaar op voorwaarde dat het geboortejaar aanwezig is in de databank van Sciensano. Indien voor het verkrijgen van deze variabele een koppeling met de gegevens van Statbel vereist is, zal de aanvrager een aanvraag tot wijziging van deze beraadslaging moeten indienen.
- 24.** Het proportionaliteitsprincipe veronderstelt dat de verwerking in principe verricht wordt aan de hand van anonieme gegevens. Indien het doeleinde echter niet verwezenlijkt kan worden aan de hand van anonieme gegevens, kunnen gepseudonimiseerde persoonsgegevens worden verwerkt. Gelet op de noodzaak om zeer gedetailleerde analyses uit te voeren op basis van deze gegevens, heeft de aanvrager behoefte aan toegang tot gepseudonimiseerde gegevens om deze analyses te kunnen uitvoeren aangezien ze niet kunnen worden verricht aan de hand van anonieme gegevens. Dit doeleinde rechtvaardigt aldus de verwerking van gepseudonimiseerde persoonsgegevens.
- 25.** Het Informatieveiligheidscomité is van oordeel dat de persoonsgegevens die aan de aanvrager zouden worden meegedeeld inderdaad van gepseudonimiseerde aard zijn aangezien het identificatienummer dat gebruikt wordt voor de leden van een gezin een eerste keer door de Algemene Directie Statistiek en een tweede keer, projectspecifiek, door het WIV gecodeerd wordt.
- 26.** Het Informatieveiligheidscomité stelt vast dat in 2015 een “small cell”-risicoanalyse uitgevoerd werd op het geheel van gecodeerde persoonsgegevens in de databank van de gezondheidsenquête 2013.³

³ Zie wat dit betreft de aanbeveling van de afdeling Gezondheid van het Sectoraal Comité van de Sociale Zekerheid en van de Gezondheid nr. 11/03 van 19 juli 2011 met betrekking tot de nota van het Federaal Kenniscentrum voor de Gezondheidszorg betreffende de small-cellanalyse van gecodeerde persoonsgegevens afkomstig van het Intermutualistisch Agentschap.

27. Bij de organisatie van de gezondheidsenquête krijgen de geselecteerde gezinnen een uitnodigingsbrief en een informatiefolder met uitleg over de gezondheidsenquête, het soort vragen dat gesteld wordt tijdens het interview en de instellingen die deze gegevens kunnen gebruiken. Er wordt tevens vermeld dat de deelname aan deze enquête niet verplicht is. De betrokkenen worden geïnformeerd over het feit dat hun persoonsgegevens op gecodeerde wijze zullen worden verwerkt voor wetenschappelijk onderzoek.
28. Het Informatieveiligheidscomité is van oordeel dat er voldoende transparantie is omtrent de beoogde verwerking.
29. Overeenkomstig artikel 5, § 1, e) van de AVG mogen de persoonsgegevens niet langer worden bewaard in een vorm die het mogelijk maakt de betrokkenen te identificeren, dan noodzakelijk is voor de verwezenlijking van de doeleinden waarvoor zij worden verkregen. De gevraagde gegevens zullen door de aanvrager worden bewaard tot 1 januari 2028. Deze bewaartermijn loopt tot na het einde van de postdoctorale beurs in het geval dat een herziening van de artikelen die in wetenschappelijke tijdschriften verschijnen noodzakelijk zou zijn.
30. Het Informatieveiligheidscomité beschouwt deze bewaartermijn als aanvaardbaar en stelt dat de gepseudonimiseerde persoonsgegevens ten laatste op 1 januari 2028 moeten worden vernietigd. Het Comité herinnert eraan dat de gepseudonimiseerde gegevens op een beveiligde server moet worden bewaard.
31. Krachtens artikel 5, § 1, f) van de AVG moeten persoonsgegevens, door het nemen van passende technische of organisatorische maatregelen, op een dusdanige manier worden verwerkt dat een passende beveiliging ervan gewaarborgd is, en dat zij onder meer beschermd zijn tegen ongeoorloofde of onrechtmatige verwerking en tegen onopzettelijk verlies, vernietiging of beschadiging (integriteit en vertrouwelijkheid)
32. De kamer sociale zekerheid en gezondheid herinnert eraan dat krachtens artikel 9 van de wet van 30 juli 2018 *betreffende de bescherming van natuurlijke personen met betrekking tot de verwerking van persoonsgegevens* de verwerkingsverantwoordelijke de volgende maatregelen neemt bij de verwerking van genetische, biometrische of gezondheidsgegevens:
1° hij of, in voorkomend geval, de verwerker wijst de categorieën van personen die toegang hebben tot de persoonsgegevens aan waarbij hun hoedanigheid ten opzichte van de verwerking van de betrokken gegevens nauwkeurig wordt omschreven;
2° hij of, in voorkomend geval, de verwerker houdt de lijst van de aldus aangewezen categorieën van personen ter beschikking van de bevoegde toezichthoudende autoriteit;
3° hij zorgt ervoor dat de aangewezen personen door een wettelijke of statutaire verplichting, of door een evenwaardige contractuele bepaling ertoe gehouden zijn het vertrouwelijk karakter van de betrokken gegevens in acht te nemen.
33. Het Informatieveiligheidscomité stelt vast dat de gegevens onder de verantwoordelijkheid van een beroepsbeoefenaar in de gezondheidszorg zullen worden verwerkt.

Om deze redenen,

de kamer sociale zekerheid en gezondheid van het informatieveiligheidscomité

besluit dat:

de mededeling van de persoonsgegevens zoals beschreven in deze beraadslaging toegestaan is mits wordt voldaan aan de vastgestelde maatregelen ter waarborging van de gegevensbescherming, in het bijzonder de maatregelen op het vlak van doelbinding, minimale gegevensverwerking, opslagbeperking en informatieveiligheid.

Bart VIAENE
Voorzitter

De zetel van de kamer sociale zekerheid en gezondheid van het informatieveiligheidscomité is gevestigd in de kantoren van de Kruispuntbank van de Sociale Zekerheid, op het volgende adres: Willebroekkaai 38 – 1000 Brussel (tel. 32-2-741 83 11).

Bijlage:
Lijst van de meegedeelde variabelen

Liste détaillée de toutes les variables demandées

Projet : Evolution des pratiques contraceptives en Belgique, en France et en Suisse depuis le début des années 2000

Individual variables

| Chapter | Module | Variable name | Question | Label | Format |
|-------------------------------|--|----------------------------|----------------|--|--------|
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | id_anom | not applicable | Identification number of respondent | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | hh_cluster | not applicable | Household cluster | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | wfin | not applicable | Weight of individual within the sample | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | provw | not applicable | Stratum | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | particip | not applicable | Participated to survey | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | face | not applicable | Face to face questionnaire/CAPI completed | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | selfstat | not applicable | Availability of self-completed questionnaire | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | dateenq | not applicable | Date of interview | Char |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | year | not applicable | Year of the survey | Num |
| | | | | We would like to have the year of birth of the participant | |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | age5 | HC02, HC03 | Age group (5 categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | age5y | HC02, HC03 | Age group (5-year categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | age8 | HC02, HC03 | Age group (8 categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | age9 | HC02, HC03 | Age group (9 categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | hc_01 | HC02, HC03 | Age (in years) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | HC01 | HC01 | Relationship with reference person | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | HC04 | HC04 | Gender | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | HC05 | HC05 | Civil status | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | HC06_1 | HC06 | Nationality (3 categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | HC07_1 | HC06 | Country of birth (3 categories) | Num |

| | | | | | |
|-------------------------------|------------------------------|------------------------|------|----------------------------------|-----|
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | HC06_2 | HC06 | Nationality (13 categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | HC07_2 | HC07 | Country of birth (13 categories) | Num |

| | | | | | |
|-------------------------------|--|---------|------------------|--|------|
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | HC08_1 | HC08 | Age at immigration | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | HC09_2 | HC09 | Country of birth of the mother (13 categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | HC10_2 | HC10 | Country of birth of the father (13 categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | prov | not applicable | Province of residence | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | regio | not applicable | Region of residence | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | urb2001 | not applicable | Level of urbanization (morphologic and functional) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | ses_brx | not applicable | Socioeconomic status of municipality (for residents of Brussels' Region) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.3. Household characteristics | hhtype2 | HC01 | Household composition | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.3. Household characteristics | nbr_per | HC01 | Number of household members | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.4. Information on the selected person and the respondent | NR02 | NR02 | Respondent of interview | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.4. Information on the selected person and the respondent | NR03 | NR03 | Reason why a proxy was used | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.4. Information on the selected person and the respondent | NR03_1 | NR03 | Reason why a proxy was used | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.4. Information on the selected person and the respondent | NR04 | NR04 | Reason why selected person could not be contacted | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.4. Information on the selected person and the respondent | NR05 | NR05 | Reason why selected person was not capable to answer him/herself | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.4. Information on the selected person and the respondent | NR0501 | NR05 | Other reason why selected person was not capable to answer him/herself | Char |
| 1. BACKGROUND CHARACTERISTICS | 1.4. Information on the selected person and the respondent | NR06 | NR06 | Reason why selected person refused to answer him/herself | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.4. Information on the selected person and the respondent | NR0601 | NR06 | Other reason why selected person refused to answer him/herself | Char |
| 1. BACKGROUND CHARACTERISTICS | 1.5. Education | ET_1 | ET01, ET02, ET03 | Highest educational level within the household | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.5. Education | ET_2 | ET01, ET02 | Current branch of studies (daytime students) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.5. Education | ET_3 | ET01, ET03 | Highest diploma | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.5. Education | ET01 | ET01 | Being a daytime student | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.5. Education | ET02 | ET02 | Current branch of studies | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.5. Education | ET03 | ET03 | Highest diploma | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.5. Education | ET04 | ET04 | Age when ending studies | Num |

| | | | | | |
|-------------------------------|-----------------------|-----------|--------------------|--|-----|
| 1. BACKGROUND CHARACTERISTICS | 1.6. Employment | EM01 | EM01 | A paid job at this moment | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.6. Employment | EM02 | EM02 | Current non employment status | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.6. Employment | EM03 | EM03 | Ever had paid job | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.6. Employment | EM04 | EM04 | Currently (last) employed as employee or self-employed | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.6. Employment | EM05 | EM05 | Current (last) work contract with the employer (only employees) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.6. Employment | EM06 | EM06 | Current (last) working fulltime or parttime | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.6. Employment | EM07_ISCO | EM07 | ISCO 3 digits code current (last) professional activity | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.6. Employment | EM08_NACE | EM08 | NACE 3 digits code economical sector current (last) professional activity | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.6. Employment | EM07_1 | EM07 | Current (last) employment (ISCO - 1 digit code) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.6. Employment | EM08_1 | EM08 | Current (last) industrial sector of employment (NACE - 1 digit code) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN_1 | IN02, HC01,NBR_PER | Reported equivalent household income (Belgian weighted quintiles) | Num |
| 2. HEALTH AND WELBEING | 2.1. Perceived health | SH01 | SH01 | Subjective health | Num |
| 2. HEALTH AND WELBEING | 2.1. Perceived health | SH01_1 | SH01 | Good subjective health | Num |
| 2. HEALTH AND WELBEING | 2.1. Perceived health | SH01_2 | SH01 | Bad subjective health | Num |
| 2. HEALTH AND WELBEING | 2.1. Perceived health | SH02 | SH02 | Chronic condition | Num |
| 2. HEALTH AND WELBEING | 2.1. Perceived health | SH03 | SH03 | Long term limitation | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MB_1 | MB01, MB03, MB04 | Severity of limitations due to one or more longstanding illnesses, chronic conditions or handicaps | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MB_2 | MB01, MB03, MB04 | Limitations due to one or more longstanding illnesses, chronic conditions or handicaps | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MB_3 | MB01, MB03, MB04 | Severe limitations due to one or more longstanding illnesses, chronic conditions or handicaps | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MB01 | MB01 | One or more longstanding illnesses, chronic conditions or handicaps | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MB01_1 | MB01 | One or more more longstanding illnesses, chronic conditions or handicaps | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MB03 | MB03 | Among those with one or more longstanding illnesses, chronic conditions or handicaps: | Num |

| | | | | | |
|------------------------|-----------------------|------------------------|--------|---|-----|
| | | | | restricted in daily activities due to this (these) illness(es), chronic condition(s) or handicaps | |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MB03_1 | MB03 | Among those with one or more longstanding illnesses, chronic conditions or handicaps: restricted in daily activities due to this (these) illness(es), chronic condition(s) or handicaps | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MB04 | MB04 | Among those with one or more longstanding illnesses, chronic conditions or handicaps: bedridden due to this (these) illness(es), chronic condition(s) or handicaps | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MB04_1 | MB04 | Among those with one or more longstanding illnesses, chronic conditions or handicaps: bedridden due to this (these) illness(es), chronic condition(s) or handicaps | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0101 | MA0101 | Asthma (allergic asthma included) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0102 | MA0102 | Chronic bronchitis, chronic obstructive pulmonary disease, emphysema in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0103 | MA0103 | Myocardial infarction in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0104 | MA0104 | Coronary heart disease (angina pectoris) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0105 | MA0105 | Other serious heart disease in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0106 | MA0106 | High blood pressure (hypertension) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0107 | MA0107 | High cholesterol level in blood in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0108 | MA0108 | Stroke (cerebral haemorrhage, cerebral thrombosis) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0109 | MA0109 | Narrowing of bloodvessels in belly or legs (no varicose veins) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0110 | MA0110 | Rheumatoid arthritis (inflammation of the joints) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0111 | MA0111 | Osteoarthritis (arthrosis, joint degeneration) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0112 | MA0112 | Low back disorder or other chronic back defect in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0113 | MA0113 | Neck disorder or other chronic neck defect in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0114 | MA0114 | Diabetes in the past 12 months | Num |

| | | | | | |
|------------------------|-----------------------|--------------------------|----------|---|-----|
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0115 | MA0115 | Allergy, such as rhinitis, eye inflammation, dermatitis, food allergy or other (allergic asthma excluded) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0116 | MA0116 | Stomach ulcer (gastric or duodenal ulcer) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0117 | MA0117 | Cirrhosis of the liver, liver dysfunction in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0118 | MA0118 | Cancer (malignant tumour, also including leukaemia and lymphoma) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0119 | MA0119 | Severe headache such as migraine in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0120 | MA0120 | Urinary incontinence, problems in controlling the bladder in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0121 | MA0121 | Serious gloom or depression for a period of at least 2 weeks in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0122 | MA0122 | Thyroid problems in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0123 | MA0123 | Eye disease in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA012301 | MA012301 | Cataract in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA012302 | MA012302 | Glaucoma in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA012303 | MA012303 | Diabetic retinopathy in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA012304 | MA012304 | Macula degeneration in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA012305 | MA012305 | Other eye disease in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA012306 | MA012306 | Type of other eye disease | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0124 | MA0124 | Parkinson's disease in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0125 | MA0125 | Epilepsy in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0126 | MA0126 | Chronic fatigue for a period of at least 3 months in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0127 | MA0127 | Osteoporosis in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0128 | MA0128 | Broken hip in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0129 | MA0129 | Disorder of the large or the small bowel for longer than 3 months in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0130 | MA0130 | Stones in the kidney in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0131 | MA0131 | Serious disease of the kidney, other than stones in the kidney in the past 12 months | Num |

| | | | | | |
|------------------------|-----------------------|------------------------|--------|--|-----|
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0132 | MA0132 | Chronic cystitis in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0133 | MA0133 | Serious or chronic skin disease in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0134 | MA0134 | Gall-stones or inflammation of the gall-bladder in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0135 | MA0135 | Prostate complaints in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0136 | MA0136 | Other chronic diseases in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0201 | MA0201 | Among those with asthma (allergic asthma included):consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0202 | MA0202 | Among those with chronic bronchitis, chronic obstructive pulmonary disease, emphysema:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0203 | MA0203 | Among those with myocardial infarction:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0204 | MA0204 | Among those with coronary heart disease (angina pectoris):consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0205 | MA0205 | Among those with other serious heart disease:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0206 | MA0206 | Among those with high blood pressure (hypertension):consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0207 | MA0207 | Among those with high cholesterol level in blood:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0208 | MA0208 | Among those with stroke (cerebral haemorrhage, cerebral thrombosis):consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0209 | MA0209 | Among those with narrowing of bloodvessels in belly or legs (no varicose veins):consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0210 | MA0210 | Among those with rheumatoid arthritis (inflammation of the joints):consulted for this problem a health professional in the past 12 months | Num |

| | | | | | |
|------------------------|-----------------------|------------------------|--------|---|-----|
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0211 | MA0211 | Among those with osteoarthritis (arthrosis, joint degeneration):consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0212 | MA0212 | Among those with low back disorder or other chronic back defect:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0213 | MA0213 | Among those with neck disorder or other chronic neck defect:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0214 | MA0214 | Among those with diabetes:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0215 | MA0215 | Among those with allergy, such as rhinitis, eye inflammation, dermatitis, food allergy or other (allergic asthma excluded):consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0216 | MA0216 | Among those with stomach ulcer (gastric or duodenal ulcer):consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0217 | MA0217 | Among those with cirrhosis of the liver, liver dysfunction:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0218 | MA0218 | Among those with cancer (malignant tumour, also including leukaemia and lymphoma):consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0219 | MA0219 | Among those with severe headache such as migraine:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0220 | MA0220 | Among those with urinary incontinence, problems in controlling the bladder:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0221 | MA0221 | Among those with serious gloom or depression for a period of at least 2 weeks:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0222 | MA0222 | Among those with thyroid problems:consulted for this problem a health professional in the past 12 months | Num |

| | | | | | |
|------------------------|-----------------------|------------------------|--------|---|-----|
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0223 | MA0223 | Among those with eye disease:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0224 | MA0224 | Among those with Parkinson's disease:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0225 | MA0225 | Among those with epilepsy:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0226 | MA0226 | Among those with chronic fatigue for a period of at least 3 months:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0227 | MA0227 | Among those with osteoporosis :consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0228 | MA0228 | Among those with broken hip:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0229 | MA0229 | Among those with disorder of the large or the small bowel for longer than 3 months:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0230 | MA0230 | Among those with stones in the kidney:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0231 | MA0231 | Among those with serious disease of the kidney, other than stones in the kidney:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0232 | MA0232 | Among those with chronic cystitis:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0233 | MA0233 | Among those with serious or chronic skin disease:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0234 | MA0234 | Among those with gall-stones or inflammation of the gall-bladder:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0235 | MA0235 | Among those with prostate complaints:consulted for this problem a health professional in the past 12 months | Num |

| | | | | | |
|------------------------|-----------------------|------------------------|--------|--|-----|
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA0236 | MA0236 | Among those with other chronic diseases:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA03 | MA03 | Among those with high blood pressure (hypertension):followed diet for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA04 | MA04 | Among those with high blood pressure (hypertension):took medicines for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA05 | MA05 | Among those with high cholesterol level in blood:followed diet for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA06 | MA06 | Among those with high cholesterol level in blood:took medicines for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA07 | MA07 | Among those with diabetes:followed diet for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA08 | MA08 | Among those with diabetes:took insuline injections in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA09 | MA09 | Among those with diabetes:took oral antidiabetics in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA10 | MA10 | Among those with serious gloom or depression:took tablets for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA11 | MA11 | Among those with serious gloom or depression:made use of psychotherapy in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA01_1 | MA0101 | Asthma in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA01_2 | MA0201 | Among those with asthma:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA02_1 | MA0102 | Chronic bronchitis, COPD or emphysema in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA02_2 | MA0202 | Among those with chronic bronchitis, COPD or emphysema :consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA03_1 | MA0103 | Myocardial infarction in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA03_2 | MA0203 | Among those with myocardial infarction:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA04_1 | MA0104 | Coronary heart disease in the past 12 months | Num |

| | | | | | |
|------------------------|-----------------------|------------------------|--------|--|-----|
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA04_2 | MA0204 | Among those with coronary heart disease:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA05_1 | MA0105 | Serious heart disease (except myocardial infarction of coronary heart disease) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA05_2 | MA0205 | Among those with serious heart disease (except myocardial infarction of coronary heart disease):consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA06_1 | MA0106 | High blood pressure in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA06_2 | MA0206 | Among those with high blood pressure in the past 12 months:consulted for this problem a health professional in the past 12 monthS | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA06_3 | MA03 | Among those with high blood pressure in the past 12 months:followed diet for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA06_4 | MA04 | Among those with high blood pressure in the past 12 months:took medicines for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA07_1 | MA0107 | High cholesterol level in blood in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA07_2 | MA0207 | Among those with high cholesterol level in blood in the past 12 months that indicates that they consulted for this problem a health professional | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA07_3 | MA05 | Among those with high cholesterol level in blood:followed diet for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA07_4 | MA06 | Among those with high cholesterol level in blood:took medicines for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA08_1 | MA0108 | Stroke (or consequences) in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA08_2 | MA0208 | Among those with stroke (or consequences) in the past 12 months that indicates that they consulted for this problem a health professional | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA09_1 | MA0109 | Narrowing of bloodvessels in belly or legs in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA09_2 | MA0209 | Among those with narrowing of bloodvessels in belly or legs in the past 12 months that | Num |

| | | | | | |
|------------------------|-----------------------|------------------------|------------|---|-----|
| | | | | indicates that they consulted for this problem a health professional | |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA10_1 | MA0110 | Rheumatoid arthritis in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA10_2 | MA0210 | Among those with rheumatoid arthritis:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA11_1 | MA0111 | Osteoarthritis in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA11_2 | MA0211 | Among those with osteoarthritis:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA12_1 | MA0112 | Low back disorder in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA12_2 | MA0212 | Among those with low back disorder in the past 12 months that indicates that they consulted for this problem a health professional | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA13_1 | MA0113 | Neck disorder in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA13_2 | MA0213 | Among those with neck disorder in the past 12 months that indicates that they consulted for this problem+D573 a health professional | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA14_1 | MA0114 | Diabetes in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA14_2 | MA0214 | Among those with diabetes:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA14_3 | MA07 | Among those with diabetes:followed diet for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA14_4 | MA08 -MA09 | Among those with diabetes:took medicines for this in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA14_5 | MA08 | Among those with diabetes:used insuline in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA14_6 | MA09 | Among those with diabetes:used oral antidiabetics in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA15_1 | MA0115 | Allergy in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA15_2 | MA0215 | Among those with allergy:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA16_1 | MA0116 | Stomach ulcer in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA16_2 | MA0216 | Among those with stomach ulcer:consulted for this problem a health professional in the past 12 months | Num |

| | | | | | |
|------------------------|-----------------------|--------------------------|---------------------------------|---|-----|
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA17_1 | MA0117 | Cirrhosis of the liver, liver dysfunction in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA17_2 | MA0217 | Among those with cirrhosis of the liver, liver dysfunction:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA18_1 | MA0118 | Cancer in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA18_2 | MA0218 | Among those with cancer:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA19_1 | MA0119 | Severe headache such as migraine in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA19_2 | MA0219 | Among those with severe headache such as migraine in the past 12 months that indicates that they consulted for this problem a health professional | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA20_1 | MA0120 | Urinary incontinence in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA20_2 | MA0220 | Among those with urinary incontinence in the past 12 months that indicates that they consulted for this problem a health professional | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA21_1 | MA0121 | Serious gloom or depression in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA21_2 | MA0221 | Among those with serious gloom or depression in the past 12 months that indicates that they consulted for this problem a health professional | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA22_1 | MA0121 | Thyroid problems in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA22_2 | MA0122 | Among those with thyroid problems in the past 12 months that indicates that they consulted for this problem a health professional | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA2301_1 | MA0123 - MA012301 | Glaucoma in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA2301_2 | MA0123 - MA012301- MA0223 | Among those with glaucoma:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA2302_1 | MA0123 - MA012302 | Cataract in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA2302_2 | MA0123- MA012302- MA0223 | Among those with cataract:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA2303_1 | MA0123 - MA012303 | Diabetic retinopathy in the past 12 months | Num |

| | | | | | |
|------------------------|-----------------------|--------------------------|--------------------------------|---|-----|
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA2303_2 | MA0123- MA012303- MA0223 | Among those with diabetic retinopathy:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA2304_1 | MA0123 - MA012304 | Macula degeneration in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA2304_2 | MA0123- MA012304- MA0223 | Among those with macula degeneration:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA24_1 | MA0124 | Parkinson's disease in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA24_2 | MA0224 | Among those with Parkinson's disease:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA25_1 | MA0125 | Epilepsy in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA25_2 | MA0225 | Among those with epilepsy:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA26_1 | MA0126 | Chronic fatigue for a period of at least 3 months in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA26_2 | MA0226 | Among those with chronic fatigue for a period of at least 3 months:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA27_1 | MA0127 | Osteoporosis in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA27_2 | MA0227 | Among those with osteoporosis:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA28_1 | MA0128 | Broken hip in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA28_2 | MA0228 | Among those with broken hip in the past 12 months that indicates that they consulted for this condition a health professional | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA29_1 | MA0129 | Disorder of the larger or the small bowel for at least 3 months in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA29_2 | MA0229 | Among those with disorder of the larger or the small bowel for at least 3 months:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA30_1 | MA0130 | Stones in the kidney in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA30_2 | MA0230 | Among those with stones in the kidney:consulted for this problem a health professional in the past 12 months | Num |

| | | | | | |
|------------------------|-----------------------|------------------------|--|--|-----|
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA31_1 | MA0131 | Serious disease of the kidney, other than stones in the kidney in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA31_2 | MA0231 | Among those with serious disease of the kidney, other than stones in the kidney:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA32_1 | MA0132 | Chronic cystitis in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA32_2 | MA0232 | Among those with chronic cystitis:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA33_1 | MA0133 | Serious or chronic skin disease in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA33_2 | MA0233 | Among those with serious or chronic skin disease:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA34_1 | MA0134 | Gallstones of inflammation of the gallbladder in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA34_2 | MA0234 | Among those with gallstones of inflammation of the gallbladder:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA35_1 | MA0135 | Prostate problems in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA35_2 | MA0235 | Among those with prostate problems:consulted for this problem a health professional in the past 12 months | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA_1 | MA0101-MA0102-MA0103-MA0104-MA0105-MA0106-MA0110-MA0111-MA0114-MA0118 | Number of chronic conditions (on total of 6) | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA_2 | MA0101-MA0102-MA0103-MA0104-MA0105-MA0106-MA0110-MA0111-MA0114-MA0118 | Multimorbidity | Num |
| 2. HEALTH AND WELBEING | 2.2. Chronic diseases | MA_3 | MA0101-MA0102-MA0103-MA0104-MA0105-MA0106-MA0108-MA0110-MA0111-MA0114-MA0115-MA0116-MA0117-MA0118-MA0119-MA0121- | Mean number of chronic conditions (on total of 25) | Num |

| | | | | | |
|------------------------------------|--|--------|--|--|-----|
| | | | MA0122-MA0123- MA012301- MA0124-MA0125- MA0126-MA0127- MA0129-MA0130- MA0131-MA0132- MA0133-MA0134 | | |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA01 | TA01 | Having ever smoked 100 cigarettes in lifetime | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA01_1 | TA01, TA06 | Current smokers (daily and occasional) | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA02 | TA02 | Age at first cigarette | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA02_1 | TA02 | Age at first cigarette | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA03 | TA03 | Filter variable: never regular smoking (99) or age entered (1) | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA0301 | TA03 | Age at start of regular smoking | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA03_1 | TA01, TA03, TA06 | Age at start of regular smoking | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA04 | TA04 | Ever daily smoking | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA04_1 | TA01, TA04, TA05 | Daily smoking for a year or more | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA05 | TA05 | Filter variable: never daily smoking (99) or years entered (1) | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA0501 | TA05 | Number of years of daily smoking | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA05_1 | TA01, TA04, TA05 | Number of years of daily smoking | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA06 | TA06 | Current smoking status | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA06_1 | TA01, TA06 | Smoking habits (daily, occasional, former, never smoker) | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA06_2 | TA01, TA06 | Ever smokers | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA06_3 | TA01, TA06 | Daily smokers | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA0701 | TA0701 | Number of manufactured cigarettes smoked daily | Num |

| | | | | | |
|------------------------------------|--|----------|------------------|---|------|
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA0702 | TA0702 | Number of hand-rolled cigarettes (no filter) smoked daily | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA0703 | TA0703 | Number of self-made cigarettes (with filter) smoked daily | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA0704 | TA0704 | Number of cigars/cigarillos smoked daily | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA0705 | TA0705 | Number of pipes of tobacco smoked daily | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA0706 | TA0706 | Number of water pipes episodes daily | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA0707 | TA0707 | Number of e-cigarettes with nicotine smoked daily | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA0708 | TA0708 | Number of other products smoked daily | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA070801 | TA070801 | Type of other products smoked daily | Char |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA07_1 | TA06, TA07 | Average number of daily cigarettes (manufactured and self-made) | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA07_2 | TA06, TA07 | Smoking severity (3 categories) | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA07_3 | TA06, TA07 | Heavy daily smoking (20 or more cigarettes per day) | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA08 | TA08 | Time before first cigarette after waking | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA08_1 | TA06, TA07, TA08 | Tobacco dependence | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA08_2 | TA06, TA07, TA08 | Highly dependent smokers | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA08_3 | TA06, TA07, TA08 | First daily cigarette within 60 minutes after waking (binary) | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA09 | TA09 | Lifetime attempt of quitting smoking in daily smokers | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA09_1 | TA08 | Having ever tried to stop smoking | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA10 | TA10 | Time since last attempt to quit smoking | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA10_1 | TA10 | Time since last attempt to quit smoking | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1101 | TA1101 | Quit attempt method: none | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1102 | TA1102 | Quit attempt method: tabac-stop phone service | Num |

| | | | | | |
|------------------------------------|--|----------|--------|--|-----|
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1103 | TA1103 | Quit attempt method: certified tabacologist | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1104 | TA1104 | Quit attempt method: health care provider | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA110401 | TA1104 | Quit attempt method: type of health care provider | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1105 | TA1105 | Quit attempt method: drugs : Zyban | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1106 | TA1106 | Quit attempt method: drugs : Champix | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1107 | TA1107 | Quit attempt method: drugs : other | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1108 | TA1108 | Quit attempt method: e-cigarette with nicotine | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1109 | TA1109 | Quit attempt method: e-cigarette without nicotine | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1110 | TA1110 | Quit attempt method: nicotine substitutes | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1111 | TA1111 | Quit attempt method: self help means | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1112 | TA1112 | Quit attempt method: other method | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA111201 | TA1112 | Quit attempt method: type of other method | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1201 | TA1201 | Reason for taking up smoking again: stressful situation | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1202 | TA1202 | Reason for taking up smoking again: habit / boredom | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1203 | TA1203 | Reason for taking up smoking again: parties / alcohol | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1204 | TA1204 | Reason for taking up smoking again: lack of support / info | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1205 | TA1205 | Reason for taking up smoking again: weight control | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1206 | TA1206 | Reason for taking up smoking again: concentration | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1207 | TA1207 | Reason for taking up smoking again: relations smoke | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1208 | TA1208 | Reason for taking up smoking again: withdrawal symptoms | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1209 | TA1209 | Reason for taking up smoking again: none / pleasure | Num |

| | | | | | |
|------------------------------------|--|----------|----------|--|------|
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1210 | TA1210 | Reason for taking up smoking again: other | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA121001 | TA1210 | Reason for taking up smoking again: type of other reason | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA13 | TA13 | Past 2-year trend in smoking among occasional smokers | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA14 | TA14 | Lifetime attempt of quitting smoking in occasional smokers | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA15 | TA15 | Intent to quit smoking in next 12 months in occasional smokers | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA16 | TA16 | Time since quit smoking | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1701 | TA1701 | Quit smoking because of illness | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1702 | TA1702 | Quit smoking to improve physical performance | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1703 | TA1703 | Quit smoking because of pregnancy/birth | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1704 | TA1704 | Quit smoking because of fear for health consequences | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1705 | TA1705 | Quit smoking because of / for relationships | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1706 | TA1706 | Quit smoking for financial reasons | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1707 | TA1707 | Quit smoking because socially banned | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1708 | TA1708 | Quit smoking through anti-tobacco campaigns | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1709 | TA1709 | Quit smoking for other reasons | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA170901 | TA170901 | Other reason for having quit smoking | Char |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1801 | TA1801 | Method used to quit: none | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1802 | TA1802 | Method used to quit: tabac-stop phone service | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1803 | TA1803 | Method used to quit: certified tabacologist | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1804 | TA1804 | Method used to quit: health care provider | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA180401 | TA1804 | Method used to quit: type of health care provider | Num |

| | | | | | |
|------------------------------------|--|----------|--|--|-----|
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1805 | TA1805 | Method used to quit: drugs : Zyban | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1806 | TA1806 | Method used to quit: drugs : Champix | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1807 | TA1807 | Method used to quit: drugs : other | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1808 | TA1808 | Method used to quit: e-cigarette with nicotine | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1809 | TA1809 | Method used to quit: e-cigarette without nicotine | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1810 | TA1810 | Method used to quit: nicotine substitutes | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1811 | TA1811 | Method used to quit: self help means | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA1812 | TA1812 | Method used to quit: other method | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.2. Tobacco (excluding passive smoking) | TA181201 | TA1812 | Method used to quit: type of other method | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH01 | RH01 | Ever had sexual intercourse | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH02 | RH02 | Age of the first sexual intercourse | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH02_2 | RH01, RH02, HC_01 | Had the first sexual intercourse before age 15 | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH03 | RH03 | Sexual intercourse in the past 12 months | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH03_1 | RH03, HC_01 | Had sexual intercourse in the past 12 months | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH04 | RH04 | Number of sexual partners in the past 12 months | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH04_1 | RH03, RH04, HC_01 | Had two partners or more in the past 12 months | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH05 | RH05 | Use of condom during the last sexual intercourse | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH_1 | RH03, RH04, RH05, HC_01 | Use of condom among those who had two partners or more in the past 12 months | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH06 | RH06, RH0701-RH0717 | Contraception use in the past 12 months | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH06_1 | RH03, RH06, HC_01, HC04, RH0701-RH0717 | Contraception use in the past 12 months among sexually active women aged 15-64 | Num |

| | | | | | |
|---|---|------------------------|--|--|-----|
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0701 | RH0701, RH0717 | Contraception use in the past 12 months: contraceptive pill | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0702 | RH0702, RH0717 | Contraception use in the past 12 months: patch | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0703 | RH0703, RH0717 | Contraception use in the past 12 months: implant | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0704 | RH0704, RH0717 | Contraception use in the past 12 months: injectable contraceptives | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0705 | RH0705, RH0717 | Contraception use in the past 12 months: vaginal ring | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0706 | RH0706, RH0717 | Contraception use in the past 12 months: intra-uterine device (IUD) | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0707 | RH0707, RH0717 | Contraception use in the past 12 months: morning after pill | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0708 | RH0708, RH0717 | Contraception use in the past 12 months: diaphragm | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0709 | RH0709, RH0717 | Contraception use in the past 12 months: spermicide or a contraceptive sponge | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0710 | RH0710, RH0717 | Contraception use in the past 12 months: male condom | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0711 | RH0711, RH0717 | Contraception use in the past 12 months: female condom | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0712 | RH0712, RH0717 | Contraception use in the past 12 months: periodical abstention | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0713 | RH0713, RH0717 | Contraception use in the past 12 months: withdrawal | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0714 | RH0714, RH0717 | Contraception use in the past 12 months: sterilization of the women | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0715 | RH0715, RH0717 | Contraception use in the past 12 months: sterilization of the men | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0716 | RH0716, RH0717 | Contraception use in the past 12 months: other methods | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH0717 | RH0717 | Contraception use in the past 12 months: which other methods | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH07_1 | RH06, RH03, HC_01, HC04, RH0701-RH0717 | Type of contraception used among women aged 15-64 | Num |
| 3. HEALTH BEHAVIOUR AND LIFE STYLE | 3.8. Sexual health | RH07_2 | RH06, RH03, HC_01, HC04, RH0701-RH0717 | Type of contraception used among sexually active women aged 15-64 who used a contraception | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP01 | GP01 | Regular GP | Num |

| | | | | | |
|---|---|----------|------|--|------|
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP01_1 | GP01 | Regular GP | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP0201 | GP02 | No regular GP because person is never ill | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP0202 | GP02 | No regular GP because person is often absent for a long time | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP0203 | GP02 | No regular GP because person consults several general practitioners | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP0204 | GP02 | No regular GP because person consults directly the specialist | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP0205 | GP02 | No regular GP because person consults directly the emergency department of the hospital according to the problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP0206 | GP02 | No regular GP because of another reason | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP020601 | GP02 | Other reason why person does not have a regular GP | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP03 | GP03 | Type of practice of regular GP | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP03_1 | GP03 | Type of practice of regular GP | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP03_2 | GP03 | Practice of regular GP is multidisciplinary primary health care centre | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP04 | GP04 | Last contact with GP | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP04_1 | GP04 | Contact with GP in past 12 months | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP05 | GP05 | Number of contacts with GP in past 2 months | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP05_1 | GP05 | Average number of contacts with GP per year | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP01 | SP01 | Last time specialist was contacted | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP01_1 | SP01 | Contact with specialist in last year | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP02 | SP02 | Number of contacts with specialist in past 2 months | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP02_1 | SP02 | Average number of contacts with specialist per year | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP04_1 | SP04 | Contact with specialist surgical discipline in past 2 months | Num |

| | | | | | |
|---|---|---------|--------------------------|--|-----|
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP04_2 | SP04 | Contact with specialist internal medicine in past 2 months | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP04_3 | SP04 | Contact with neurologist/psychiatrist in past 2 months | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP04_4 | SP04 | Contact with gynaecologist in past 2 months | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP04_5 | SP04 | Contact with paediatrician in past 2 months | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP04_6 | SP04 | Contact with dermatologist in past 2 months | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP04_7 | SP04 | Contact with ophthalmologist in past 2 months | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_1 | DR01-DR04-DR07-DR08 | Use of a conventional medicine in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_2 | DR01-DR04-DR07-DR08 | Use of an alternative medicine or food supplement in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_3 | DR01-DR04-DR07-DR08 | Use of a reimbursed medicine in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_4 | DR01-DR04-DR07-DR08 | Use of a non reimbursed medicine in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_5 | DR01-DR04-DR07-DR08 | Use of 5 or more medicines in the past 24 hours (polypharmacy) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_6 | DR01-DR04-DR07-DR08 | Use of 9 or more medicines in the past 24 hours (excessive polypharmacy) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_7 | DR01-DR04-DR07-DR08-DR10 | Use of a prescribed medicine in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_8 | DR01-DR04-DR07-DR08-DR10 | Use of a non prescribed medicine in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_9 | DR01-DR04-DR07-DR08-DR10 | Use of a conventional medicine that is prescribed and reimbursed in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_10 | DR01-DR04-DR07-DR08-DR10 | Use of a conventional medicine that is prescribed and not reimbursed in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_11 | DR01-DR04-DR07-DR08-DR10 | Use of a conventional medicine that is not prescribed in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_12 | DR01-DR04-DR07-DR08-DR10 | Use of an alternative medicine/food supplement that is prescribed in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_13 | DR01-DR04-DR07-DR08-DR10 | Use of an alternative medicine/food supplement that is not prescribed in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_A02B | DR01-DR04-DR07-DR08 | Use of drugs for peptic ulcer and gastro-oesophageal reflux disease in the past 24 hours | Num |

| | | | | | |
|---|-------------------------|----------|---------------------|---|-----|
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_A10 | DR01-DR04-DR07-DR08 | Use of drugs used in diabetes in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_B01 | DR01-DR04-DR07-DR08 | Use of antithrombotic agents in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_C03 | DR01-DR04-DR07-DR08 | Use of diuretics in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_C07 | DR01-DR04-DR07-DR08 | Use of beta blocking agents in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_C08 | DR01-DR04-DR07-DR08 | Use of calcium channel blockers in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_C09 | DR01-DR04-DR07-DR08 | Use of agents acting on the renin-angiotensin system in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_C10 | DR01-DR04-DR07-DR08 | Use of serum lipid reducing agents in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_G03 | DR01-DR04-DR07-DR08 | Use of sex hormones and modulators of the genital system in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_H03 | DR01-DR04-DR07-DR08 | Use of thyroid therapy in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_J01 | DR01-DR04-DR07-DR08 | Use of antibacterials for systemic use in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_M01 | DR01-DR04-DR07-DR08 | Use of antiinflammatory and antirheumatic products in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_N02 | DR01-DR04-DR07-DR08 | Use of analgetics in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_N05BC | DR01-DR04-DR07-DR08 | Use of anxiolytics, hypnotics and sedatives in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_N06A | DR01-DR04-DR07-DR08 | Use of antidepressants in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_R03 | DR01-DR04-DR07-DR08 | Use of anti-asthmatics in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR_R06 | DR01-DR04-DR07-DR08 | Use of antihistamines for systemic use in the past 24 hours | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR01 | DR01 | Use of prescribed medicines < 2w | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR01_1 | DR01 | Use of prescribed medicines in the past 2 weeks | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR02 | DR02 | Use of prescribed sleeping tablets or tranquilizers < 2 w | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR03 | DR03 | Use of prescribed medicines for depression < 2 w | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR04 | DR04 | Use non prescribed medicines < 2w | Num |

| | | | | | |
|---|---------------------------|----------|----------------------|---|------|
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR04_1 | DR04 | Use of non prescribed medicines in the past 2 weeks | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR05 | DR05 | Use of medicines not bought in pharmacy < 2w | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR05_1 | DR05 | Use of medicines not bought in a pharmacy in the past 2 weeks | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0601 | DR06 | Use of medicines obtained in diet shop or natural food store < 2 w | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0601_1 | DR06 | Use of medicines obtained in diet shop or natural food store in the past 2 weeks | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR060101 | DR06 | Other place where medices not bought in pharmacy were obtained | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0602 | DR06 | Use of medicines obtained in diet department in a department store < 2 w | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0602_1 | DR06 | Use of medicines obtained in diet department in a department store in the past 2 weeks | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0603 | DR06 | Use of medicines obtained via internet < 2 w | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0603_1 | DR06 | Use of medicines obtained via internet in the past 2 weeks | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0604 | DR06 | Use of medicines obtained from paramedical (nurse, physiotherapist,..) < 2 w | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0604_1 | DR06 | Use of medicines obtained from paramedical (nurse, physiotherapist,..) in the past 2 weeks | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0605 | DR06 | Use of medicines obtained from doctor < 2 w | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0605_1 | DR06 | Use of medicines obtained from doctor in the past 2 weeks | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0606 | DR06 | Use of medicines not bought in pharmacy and obtained elsewhere < 2w | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR0606_1 | DR06 | Use of medicines not bought in pharmacy and obtained elsewhere in the past 2 weeks | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.1. Use of medicines | DR07 | DR07 | Use medicines < 24 hrs | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE01_1 | PE0101-PE0102-PE0103 | Last ambulatory consultation: type of doctor (3 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE01_2 | PE0101-PE0102-PE0103 | Last ambulatory consultation: type of consultation (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE0101 | PE0101 | Last type of ambulatory contact if during the past year, there was a contact with GP and specialist | Num |

| | | | | | |
|---|---------------------------|--------|---------------------------|---|-----|
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE0102 | PE0102 | Last type of ambulatory contact if during the past year, there was a contact with GP, but not with specialist | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE0103 | PE0103 | Last type of ambulatory contact if during the past year, there was a contact with specialist, but not with GP | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE02 | PE02 | How quickly getting appointment | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE02_1 | PE0101-PE0102-PE0103-PE02 | Time to get an appointment to see doctor | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE02_2 | PE0101-PE0102-PE0103-PE02 | Time to get an appointment to see GP | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE02_3 | PE0101-PE0102-PE0103-PE02 | Time to get an appointment to see specialist | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE03 | PE03 | Waiting time for appointment was a problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE03_1 | PE0101-PE0102-PE0103-PE03 | Had problem with waiting time to get an appointment to see doctor | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE03_2 | PE0101-PE0102-PE0103-PE03 | Had problem with waiting time to get an appointment to see GP | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE03_3 | PE0101-PE0102-PE0103-PE03 | Had problem with waiting time to get an appointment to see specialist | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE04 | PE04 | Waiting time for consultation | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE04_1 | PE0101-PE0102-PE0103-PE04 | Waiting time in doctor's waiting room | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE04_2 | PE0101-PE0102-PE0103-PE04 | Waiting time in GP's waiting room | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE04_3 | PE0101-PE0102-PE0103-PE04 | Waiting time in specialist's waiting room | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE05 | PE05 | Waiting time for consultation was a problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE05_1 | PE0101-PE0102-PE0103-PE05 | Had problem with waiting time in doctor's waiting room | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE05_2 | PE0101-PE0102-PE0103-PE05 | Had problem with waiting time in GP's waiting room | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE05_3 | PE0101-PE0102-PE0103-PE05 | Had problem with waiting time in specialist's waiting room | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE06 | PE06 | Enough time spent with doctor | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE06_1 | PE0101-PE0102-PE0103-PE06 | Doctor spent enough time with patient (4 categories) | Num |

| | | | | | |
|---|---------------------------|------------------------|---------------------------|---|-----|
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE06_2 | PE0101-PE0102-PE0103-PE06 | GP spent enough time with patient (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE06_3 | PE0101-PE0102-PE0103-PE06 | Specialist spent enough time with patient (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE06_4 | PE0101-PE0102-PE0103-PE06 | Doctor spent enough time with patient (2 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE06_5 | PE0101-PE0102-PE0103-PE06 | GP spent enough time with patient (2 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE06_6 | PE0101-PE0102-PE0103-PE06 | Specialist spent enough time with patient (2 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE07 | PE07 | Doctor explained things in an understandable way | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE07_1 | PE0101-PE0102-PE0103-PE07 | Doctor explained things in a way that was easy to understand (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE07_2 | PE0101-PE0102-PE0103-PE07 | GP explained things in a way that was easy to understand (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE07_3 | PE0101-PE0102-PE0103-PE07 | Specialist explained things in a way that was easy to understand (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE07_4 | PE0101-PE0102-PE0103-PE07 | Doctor explained things in a way that was easy to understand (2 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE07_5 | PE0101-PE0102-PE0103-PE07 | GP explained things in a way that was easy to understand (2 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE07_6 | PE0101-PE0102-PE0103-PE07 | Specialist explained things in a way that was easy to understand (2 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE08 | PE08 | Doctor gave opportunity to ask questions about recommended treatment | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE08_1 | PE0101-PE0102-PE0103-PE08 | Doctor gave the opportunity to ask questions or raise concerns about recommended treatment (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE08_2 | PE0101-PE0102-PE0103-PE08 | GP gave the opportunity to ask questions or raise concerns about recommended treatment (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE08_3 | PE0101-PE0102-PE0103-PE08 | Specialist gave the opportunity to ask questions or raise concerns about recommended treatment (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE08_4 | PE0101-PE0102-PE0103-PE08 | Doctor gave the opportunity to ask questions or raise concerns about recommended treatment (2 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE08_5 | PE0101-PE0102-PE0103-PE08 | GP gave the opportunity to ask questions or raise concerns about recommended treatment (2 categories) | Num |

| | | | | | |
|---|---------------------------------------|------------------------|---------------------------|---|-----|
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE08_6 | PE0101-PE0102-PE0103-PE08 | Specialist gave the opportunity to ask questions or raise concerns about recommended treatment (2 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE09 | PE09 | Involved in decisions on care and treatment by doctor | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE09_1 | PE0101-PE0102-PE0103-PE09 | Patient sufficiently involved in decisions of doctor about care and treatment (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE09_2 | PE0101-PE0102-PE0103-PE09 | Patient sufficiently involved in decisions of GP about care and treatment (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE09_3 | PE0101-PE0102-PE0103-PE09 | Patient sufficiently involved in decisions of specialist about care and treatment (4 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE09_4 | PE0101-PE0102-PE0103-PE09 | Patient sufficiently involved in decisions of doctor about care and treatment (2 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE09_5 | PE0101-PE0102-PE0103-PE09 | Patient sufficiently involved in decisions of GP about care and treatment (2 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE09_6 | PE0101-PE0102-PE0103-PE09 | Patient sufficiently involved in decisions of specialist about care and treatment (2 categories) | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE10 | PE10 | Postponement of health care due to long waiting time | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE10_1 | PE10 | Experienced delay in getting health care because time to get appointment was too long | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE11 | PE11 | Postponement of health care due to transport problems | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.11. Patient experiences | PE11_1 | PE11 | Experienced delay in getting health care due to distance or transport problems | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC_1 | SC05, SC06 | Mammography in the past 2 years (women only) | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC_2 | SC05, SC06, HC_01 | Mammography in the past 2 years (women 50-69 only) | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC_3 | SC05, SC06 | Time since last mammography (women only) | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC_5 | SC12, SC13 | Cervix smear test in the past 3 years (women only) | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC_6 | SC12, SC13, HC_01 | Cervix smear test in the past 3 years (women 20-69 only) | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC_7 | SC01, SC02 | Fecal occult blood test in the past 2 years | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC_8 | SC02, SC02, HC_01 | Fecal occult blood test in the past 2 years (50-74 years old) | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC_9 | SC01, SC02 | Time since last fecal occult blood test | Num |

| | | | | | |
|---------------|-----------------------|----------|----------------------|--|------|
| 6. PREVENTION | 6.1. Cancer screening | SC_10 | SC03, SC04 | Colonoscopy in the past 10 years | |
| 6. PREVENTION | 6.1. Cancer screening | SC_11 | SC03, SC04, HC_01 | Colonoscopy in the past 10 years (50-74 years old) | |
| 6. PREVENTION | 6.1. Cancer screening | SC01 | SC01 | Ever fecal occult blood testing | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC02 | SC02 | When last fecal occult blood testing | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC03 | SC03 | Ever colonoscopy | |
| 6. PREVENTION | 6.1. Cancer screening | SC04 | SC04 | When last colonoscopy | |
| 6. PREVENTION | 6.1. Cancer screening | SC05 | SC05 | Ever mammography | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC06 | SC06 | When last mammography | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC07 | SC07 | Breast echography | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0801 | SC0801 | Reason mammography: General practitioner | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0802 | SC0802 | Reason mammography: Gyneacologist | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0803 | SC0803 | Reason mammography: family history | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0804 | SC0804 | Reason mammography: previous tumor | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0805 | SC0805 | Reason mammography: follow up | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0806 | SC0806 | Reason mammography: pain | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0807 | SC0807 | Reason mammography: women noticed anomaly | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0808 | SC0808 | Reason mammography: physician noticed anomaly | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0809 | SC0809 | Reason mammography: invitation letter | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0810 | SC0810 | Reason mammography: other | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC081001 | SC081001 | Reason mammography: explain other | Char |
| 6. PREVENTION | 6.1. Cancer screening | SC0811 | SC0810, SC081001 | Reason mammography: own initiative | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0812 | SC0810, SC081001 | Reason mammography: esthetic breast surgery | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0813 | SC0810, SC081001 | Reason mammography: periodic control | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0814 | SC0810, SC081001 | Reason mammography: general check up | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC0815 | SC0810, SC081001 | Reason mammography: work medical examination | Num |

| | | | | | |
|---------------|-----------------------|----------|------------------|--|------|
| 6. PREVENTION | 6.1. Cancer screening | SC09 | SC09 | Received an invitation letter for breast cancer screening | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC09_1 | SC09 | Received an invitation letter for breast cancer screening | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC10 | SC10 | Answered positively to the invitation letter for breast cancer screening | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1101 | SC1101 | Reason no answer invitation mammography: recent screening | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1102 | SC1102 | Reason no answer invitation mammography: no time | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1103 | SC1103 | Reason no answer invitation mammography: too expensive | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1104 | SC1104 | Reason no answer invitation mammography: don't find it necessary | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1105 | SC1105 | Reason no answer invitation mammography: unpleasant examination | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1106 | SC1106 | Reason no answer invitation mammography: past surgical procedure | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1107 | SC1107 | Reason no answer invitation mammography: advised against by physician | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1108 | SC1108 | Reason no answer invitation mammography: other | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC110801 | SC110801 | Reason no answer invitation mammography: explain other | Char |
| 6. PREVENTION | 6.1. Cancer screening | SC1109 | SC1108, SC110801 | Reason no answer invitation mammography: wait advice medical doctor | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1110 | SC1108, SC110801 | Reason no answer invitation mammography: think no longer in target age group | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1111 | SC1108, SC110801 | Reason no answer invitation mammography: neglecting | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC12 | SC12 | Ever cervical smear | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC13 | SC13 | When last cervical smear | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1401 | SC1401 | Reason cervical smear: general practitioner | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1402 | SC1402 | Reason cervical smear: gynecologist | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1403 | SC1403 | Reason cervical smear: follow up | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1404 | SC1404 | Reason cervical smear: abnormal bleeding | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1405 | SC1405 | Reason cervical smear: women noticed anomaly | Num |

| | | | | | |
|---------------|-----------------------|-----------|--|---|------|
| 6. PREVENTION | 6.1. Cancer screening | SC1406 | SC1406 | Reason cervical smear: physician noticed anomaly | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1407 | SC1407 | Reason cervical smear: previous tumor | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1408 | SC1408 | Reason cervical smear: invitation letter | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1409 | SC1409 | Reason cervical smear: other | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC140901 | SC140901 | Reason cervical smear: explain other | Char |
| 6. PREVENTION | 6.1. Cancer screening | SC1410 | SC1409, SC140901 | Reason cervical smear: routine | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1411 | SC1409, SC140901 | Reason cervical smear: prevention screening | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1412 | SC1409, SC140901 | Reason cervical smear: pregnancy/contraception | Num |
| 6. PREVENTION | 6.1. Cancer screening | SC1413 | SC1409, SC140901 | Reason cervical smear: own initiative | Num |
| 6. PREVENTION | 6.2. Immunisation | VA_1 | VA01, VA02month, VA02year | Influenza immunisation in the past year | Num |
| 6. PREVENTION | 6.2. Immunisation | VA_2 | VA01, VA02month, VA02year, HC_01, MAxx | Influenza immunisation in the past year (population at risk) | Num |
| 6. PREVENTION | 6.2. Immunisation | VA_3 | VA01, VA02month, VA02year, HC_01, MAxx | Influenza immunisation in the last season (population at risk) | Num |
| 6. PREVENTION | 6.2. Immunisation | VA_4 | VA03, VA04 | Pneumococcus immunisation in the past 5 years | Num |
| 6. PREVENTION | 6.2. Immunisation | VA_5 | VA03, VA04, HC_01, MAxx | Pneumococcus immunisation in the past 5 years (at risk) | Num |
| 6. PREVENTION | 6.2. Immunisation | VA01 | VA01 | Ever Influenza vaccine | Num |
| 6. PREVENTION | 6.2. Immunisation | VA01_1 | VA01 | Ever influenza immunisation | Num |
| 6. PREVENTION | 6.2. Immunisation | VA01_2 | VA01, HC_01, MAxx | Ever influenza immunisation (population at risk) | Num |
| 6. PREVENTION | 6.2. Immunisation | VA02month | VA02month | Month last Influenza vaccine | Num |
| 6. PREVENTION | 6.2. Immunisation | VA02year | VA02year | Year last Influenza vaccine | Num |
| 6. PREVENTION | 6.2. Immunisation | VA03 | VA03 | Ever Pneumococcus vaccine | Num |
| 6. PREVENTION | 6.2. Immunisation | VA04 | VA04 | When last Pneumococcus vaccine | Num |
| 6. PREVENTION | 6.2. Immunisation | VA05 | VA05 | Ever HPV vaccination | Num |
| 6. PREVENTION | 6.2. Immunisation | VA05_1 | VA05 | Ever HPV vaccination | Num |

| | | | | | |
|---------------|---|----------|--|---|-----|
| 6. PREVENTION | 6.2. Immunisation | VA06 | VA06 | When last HPV vaccination | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR_1 | PR01, PR02 | Blood pressure measurement by a health professional in de last 5 years | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR_2 | PR01, PR02 | Time past since last blood pressure measurement by a health professional | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR_3 | PR03,PR04 | Blood cholesterol measurement by a health professional in the past 5 years | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR_4 | PR03,PR04 | Time past since last blood cholesterol measurement by a health professional | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR_5 | PR05, PR06 | Blood sugar measurement by a health professional in the last 3 years | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR_6 | PR05, PR06 | Time past since lasst blood sugar measurement by a health professional | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR01 | PR01 | Ever had blood pressure measured by a health professional | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR02 | PR02 | Last time blood pressure measure by a health professional | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR03 | PR03 | Ever had blood cholesterol measured by a health professional | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR04 | PR04 | Last time blood cholesterol measured by a health professional | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR05 | PR05 | Ever had blood sugar measured by a health professional | Num |
| 6. PREVENTION | 6.3. Screening for cardiovascular risk factors and diabetes | PR06 | PR06 | Last time blood sugar measured by a health professional | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI_1 | HI0102, HI0104, HI0201, HI0204, HI0205 | Broad and correct knowledge about HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI01_1 | HI0101-HI0104 | False perceptions about HIV transmission | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0101 | HI0101 | HIV transmission by kissing someone on the mouth | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0101_1 | HI0101 | Thinking that HIV is transmitted by kissing someone on the mouth | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0102 | HI0102 | HIV transmission by mosquito bites | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0102_1 | HI0102 | Thinking that HIV is transmitted by mosquito bites | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0103 | HI0103 | HIV transmission by drinking from someone's glass | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0103_1 | HI0103 | Thinking that HIV is transmitted by drinking from someone's glass | Num |

| | | | | | |
|---------------|---|--------------------------|---------------|--|-----|
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0104 | HI0104 | HIV transmission by giving blood in Belgium | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0104_1 | HI0104 | Thinking that HIV is transmitted by giving blood in Belgium | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI02_1 | HI0201-HI0202 | Correct identification of 2 non-protective methods against the sexual transmission of HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI02_2 | HI0203-HI0205 | Correct identification of 3 protective methods against the sexual transmission of HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0201 | HI0201 | Effectiveness of choosing partners looking healthy to protect against HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0201_1 | HI0201 | Knowing that choosing partners looking healthy does not protect against HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0202 | HI0202 | Effectiveness of withdrawal before ejaculation to protect against HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0202_1 | HI0202 | Knowing that withdrawal before ejaculation does not protect against HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0203 | HI0203 | Effectiveness of abstaining from having penetrative sex to protect against HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0203_1 | HI0203 | Knowing that abstaining from having penetrative sex protects against HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0204 | HI0204 | Effectiveness of using a condom for each sexual relation with penetration to protect against HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0204_1 | HI0204 | Knowing that using a condom for each sexual relation with penetration protects against HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0205 | HI0205 | Effectiveness of having sex with only one faithful, uninfected partner protects against HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0205_1 | HI0205 | Knowing that having sex with only one faithful, uninfected partner protects against HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI03 | HI03 | Testing for HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI03_1 | HI03 | Having already been tested for HIV in the past 12 months | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI03_2 | HI03 | Ever been tested for HIV | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI04 | HI04 | Having been tested for HIV during the past 12 months and having received the result of the test | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI04_1 | HI04 | Having been tested for HIV during the past 12 months and having received the result of the test | Num |

| | | | | | |
|---------------|---|----------|------|---|-----|
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0501 | HI05 | AIDS is not a serious disease anymore | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0501_1 | HI05 | Knowing that AIDS is a serious disease | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0502 | HI05 | AIDS can be cured | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0502_1 | HI05 | Knowing that AIDS is incurable | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0503 | HI05 | Existence of an effective vaccine against AIDS | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0503_1 | HI05 | Knowing that an effective vaccine against AIDS does not exist | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0504 | HI05 | AIDS is not a problem anymore in Belgium | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI0504_1 | HI05 | Knowing that AIDS is still a problem in Belgium | Num |
| 6. PREVENTION | 6.4. Knowledge and attitudes towards HIV/aids | HI05_1 | HI05 | Correctly perceiving the seriousness and incurability of AIDS | Num |

Household variables

| Chapter | Module | Variable name | Question | Label | Format |
|-------------------------------|------------------------------------|---------------|----------------|--|--------|
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | hh_cluster | not applicable | Household cluster | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | wfinhh | not applicable | Weight of household within the sample | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | provw | not applicable | Stratum | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | dateenq | not applicable | Date of interview | Char |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | year | not applicable | Year of the survey | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | age5 | HC02, HC03 | Age group of reference person (5 categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | age5y | HC02, HC03 | Age group of reference person (5-year categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | age8 | HC02, HC03 | Age group of reference person (8 categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | age9 | HC02, HC03 | Age group of reference person (9 categories) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | hc_01 | HC02, HC03 | Age of reference person | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | HC04 | HC04 | Gender of reference person | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | prov | not applicable | Province of residence | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | regio | not applicable | Region of residence | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | urb2001 | not applicable | Level of urbanization (morphologic and functional) | Num |

| | | | | | |
|---|--|---------|---|---|------|
| 1. BACKGROUND CHARACTERISTICS | 1.2. Demographic information | ses_brx | not applicable | Level of urbanization (morphologic and functional) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.3. Household characteristics | hhtype2 | HC01 | Household composition | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.3. Household characteristics | nbr_per | not applicable | Number of household members | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.5. Education | ET_1 | ET01, ET02, ET03, HC02, HC03, National Register | Highest educational level within the household | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN_1 | IN02, HC01, NBR_PER | Reported equivalent household income (Belgian weighted quintiles) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN0101 | IN01 | Income from work (as employee or self-employed) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN0102 | IN01 | Unemployment benefits | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN0103 | IN01 | Old-age pension or survivor's benefits | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN0104 | IN01 | Sickness or disability benefits | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN0105 | IN01 | Social support (OCMW/CPAS) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN0106 | IN01 | Family - child(ren) related allowances | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN0107 | IN01 | Education related allowance | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN0108 | IN01 | Other regular benefits (rental income, annuity) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN02_1 | IN02, HC01 | Reported household income (after imputation) | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.7. Income | IN04 | IN04 | Able to make ends meet with available household income | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.8. Housing | LO01 | LO01 | Description of the dwelling | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.8. Housing | LO0109 | LO01 | Year since person lived in residence for elderly people | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.8. Housing | LO0110 | LO01 | Other type of dwelling | Char |
| 1. BACKGROUND CHARACTERISTICS | 1.8. Housing | LO02 | LO02 | Housing tenure | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.8. Housing | LO02_1 | LO02 | Housing tenure | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.8. Housing | LO03 | LO03 | Monthly rent | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC_1 | AC01, AC02 | Absolute monthly expenses for health care | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC_2 | AC01, AC02 | Relative monthly expenses for health care | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC_3 | AC03 | Perception of health care expenses regarding total income | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC_4 | AC004 | Postponement of medical care consumption for financial reason | Num |

| | | | | | |
|---|--|--------|------|---|-----|
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0101 | AC01 | Had expenses for health workers | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0102 | AC01 | Had expenses for medicines | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0103 | AC01 | Had expenses for health institutions | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0104 | AC01 | Had expenses for medical devices | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0201 | AC02 | Amount expenses for health workers | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0202 | AC02 | Amount expenses for health workers | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0203 | AC02 | Amount expenses for health institutions | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0204 | AC02 | Amount expenses for medical devices | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC03 | AC03 | Rating personal contribution to health care | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0401 | AC04 | Postponement medical care | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0402 | AC04 | Postponement dental care | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0403 | AC04 | Postponement prescribed medications | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0404 | AC04 | Postponement glasses | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.10. Financial accessibility of health services | AC0405 | AC04 | Postponement mental health care | Num |

GP variables

| Chapter | Module | Variable name | Question | Label | Format |
|---|---|---------------|----------------|---|--------|
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | id_anom | not applicable | Identification number of respondent | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | year | not applicable | Year of the survey | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | nbrgp | not applicable | Rank number of contact with GP in the past 2 months | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP06 | GP06 | Date of contact with GP | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP07 | GP07 | Main reason for contact with GP | Num |

| | | | | | |
|---|---|--------|------|--|------|
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP07_1 | GP07 | Reason for contact with GP | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP07_2 | GP07 | Contact with a GP for a new complaint or health problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP07_3 | GP07 | Contact with a GP for a known complaint or health problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP07_4 | GP07 | Contact with a GP without a specific complaint or health problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP08 | GP08 | Complaint, illness or health problem why GP was contacted | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP09 | GP09 | Reason for contact with GP in case of no health problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP0901 | GP09 | Other reason for contact with GP in case of no health problem | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP09_1 | GP09 | Reason for contact with GP in case of no health problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP10 | GP10 | Type of contact with GP | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP10_1 | GP10 | Type of contact with GP | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP10_2 | GP10 | Contact with GP is a home visit | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.1. Contacts with a general practitioner | GP1001 | GP10 | Other type of contact with GP | Char |

Specialist variables

| Chapter | Module | Variable name | Question | Label | Format |
|---|---|---------------|----------------|---|--------|
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | id_anom | not applicable | Identification number of respondent | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | year | not applicable | Year of the survey | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | nbrsp | not applicable | Rank number of contact with specialist in the past 2 months | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP03 | SP03 | Date of contact with specialist | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP04 | SP04 | Type of specialist | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP05 | SP05 | Main reason for contact with specialist | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP05_1 | SP05 | Reason for contact with specialist | Num |

| | | | | | |
|---|---|--------|------|--|------|
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP05_2 | SP05 | Contact with a specialist for a new complaint or health problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP05_3 | SP05 | Contact with a specialist for a known complaint or health problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP05_4 | SP05 | Contact with a specialist without a specific complaint or health problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP06 | SP06 | Reason for contact with specialist in case of no health problem | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP0601 | SP06 | Other reason for contact with specialist in case of no health problem | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP07 | SP07 | Person taking initiative for contact with specialist | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP07_1 | SP07 | Initiative for contact with specialist | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP07_2 | SP07 | Contact with a specialist on the initiative of the patient | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP07_3 | SP07 | Contact with a specialist on the initiative of the GP | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.2. Contacts with a medical specialist | SP07_4 | SP07 | Contact with a specialist on the initiative of another specialist | Num |

Medicines variables

| Chapter | Module | Variable name | Question | Label | Format |
|---|------------------------------------|---------------|--------------------|---|--------|
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | id_anom | not applicable | Identification number of respondent | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | year | not applicable | Year of the survey | Num |
| 1. BACKGROUND CHARACTERISTICS | 1.1. Interview related information | nbrdr | not applicable | Rank order of medicine in questionnaire | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | DR08 | DR08 | Brand name + CNK code (based on picklist) | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | DR0801 | DR0801 | Brand name (free tekst) | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | DR0802 | DR0802 | CNK code (free tekst) | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | DR09 | DR09 | Quantity used | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | DR10 | DR10 | Prescribed medicine | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | DR11 | DR11 | Reason for use | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | DR_TYPE | DR08-DR08_1-DR0802 | Type of medicine | Num |

| | | | | | |
|---|-------------------------|----------|--------------------|----------------------------------|------|
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | DR_PRESC | DR08-DR08_1-DR0802 | Prescription status of medicine | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | DR_REIMB | DR08-DR08_1-DR0802 | Reimbursement status of medicine | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | CNK_YN | DR08-DR08_1-DR0802 | CNK code available | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | CNK | DR08-DR08_1-DR0802 | CNK code | Char |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | ATC_YN | DR08-DR08_1-DR0802 | ATC code available | Num |
| 4. USE OF HEALTH CARE AND SOCIAL SERVICES | 4.9.2. Use of medicines | ATC | DR08-DR08_1-DR0802 | ATC code | Char |