

**Service Level Agreement  
Base Service: eHBox2eBox  
Version 1.1**

This document is provided to you free of charge by the

**eHealth platform**

**Willebroekkaai 38 – 1000 Brussel  
38, Quai de Willebroeck – 1000 Bruxelles**

All are free to circulate this document with reference to the URL source.

## Service Level Agreement

### Base Service eHBox2eBox

#### Between

##### Service provider

eHealth Platform  
Quai de Willebroeck, 38  
1000 BRUXELLES

##### Service customer

User Community

**To the attention of: the user community**

Author: Service Management  
Date: 06/03/2026  
Version: 1.1  
Status: Final  
Type: Public  
Confidentiality:  
Language: English  
Exhibit of: MSA

# Table of Content

|  |    |
|--|----|
| Table of Content.....                                    | 3  |
| 1. Document management .....                             | 4  |
| 1.1. Document history .....                              | 4  |
| 1.2. Document references.....                            | 4  |
| 1.3. Purpose of the document.....                        | 4  |
| 1.4. Validity of the Agreement.....                      | 5  |
| 1.5. Service and Maintenance Windows.....                | 5  |
| 1.5.1. Service Windows .....                             | 5  |
| 1.5.2. Support Window .....                              | 6  |
| 1.5.3. Maintenance Windows & Planned Interventions ..... | 6  |
| 1.5.4. Unplanned Interventions.....                      | 6  |
| 2. Service scope .....                                   | 7  |
| 2.1. eHealth Service.....                                | 7  |
| 2.1.1. Architecture overview .....                       | 7  |
| 2.1.2. Functionality.....                                | 7  |
| 2.1.3. Abbreviations .....                               | 7  |
| 2.2. Business criticality.....                           | 7  |
| 2.3. Interdependencies .....                             | 7  |
| 3. List of Service Levels.....                           | 9  |
| 4. Detailed Service Level.....                           | 10 |
| 4.1. Availability eH2eBox .....                          | 10 |

# 1. Document management

## 1.1. Document history

| Version | Date                         | Author                     | Description of changes / remarks                  |
|---------|------------------------------|----------------------------|---|
| 1.0     | April 6 <sup>th</sup> , 2020 | eHealth Service Management | Initial Version                                   |
| 1.1     | 06/03/2026                   | eHealth Service Management | Update Contact center and second approved version |

## 1.2. Document references

| ID | Title                    | Version | Date       | Author |
|----|--------------------------|---------|------------|--------|
|    | Master Service Agreement | 2022.1  | 12/04/2022 |        |
|    | Master Service Agreement | 7.0     | 12/09/2025 |        |

## 1.3. Purpose of the document

The objective of this document is to define the Service Level Agreement for the set of *Base Service eHBox2eBox* proposed by the eHealth platform to publish and consult data in the common base registry for healthcare actors. It defines the minimum level of service offered on the eHealth platform, and provides eHealth's own understanding of service level offering, its measurement methods and its objectives in the long run.

This document contains a short description of the set of services offered by the common base registry for healthcare actors. These services should be distinguished into batch services and web services<sup>1</sup> for which the SLA will be different. Batch services essentially correspond to file exchange for which the results will be asynchronous while consultation and publication web services will be synchronous.

In addition, this document contains a short description of, or a link to a location where such a description can be found:

- some of the dependencies on technical and/or functional components needed and used by the web services;
- some technical and/or functional components on which the Services are dependent;
- measurements and KPIs intended to account for a certain number of performance indicators.

This document is a complement to the *Master Service Agreement (MSA)*. The information given in this document version takes precedence over the data regarding the same subjects given in former versions and in the MSA. Items described in the MSA include, for instance:

- a broad description of the business services offered by the eHealth platform to the applications which may want to make use of them;
- description of cross-sectional services offered on the eHealth platform;
- description of support services, including registering, managing and solving possible incidents with the eHBox2eBox suite of services, managing changes;

---

<sup>1</sup> In order to use those web services, an interface needs to be built, operated and maintained by the client application supplier as described in the cookbooks.

- performance indicators related to those services.

## 1.4. Validity of the Agreement

This document is valid as long as the *Base Service eHBox2eBox* is part of the eHealth offering.

Once a year, the levels of service proposed will be reviewed and confirmed for the next year.

## 1.5. Service and Maintenance Windows

### 1.5.1. Service Windows

The time frame during which the eHealth services are offered to the client applications, is defined in terms of days and hours. Standard working days are all days of the year, except during the biannual maintenance periods. The default service windows defined in the MSA (Chapter 5.1.1 Service, Support and Maintenance Window) is applicable for this SLA.

The following table summarises the eHealth Service Windows.

| Service Window |               |   |         |           |          |        |          |        |
|----------------|---------------|---|---------|-----------|----------|--------|----------|--------|
|                |               | Day of the week (closing days of Service Provider = Sunday) |         |           |          |        |          |        |
|                |               | Monday  | Tuesday | Wednesday | Thursday | Friday | Saturday | Sunday |
| Day period     | 00:00 – 07:00 |   |         |           |          |        |          |        |
|                | 07:00 – 08:00 |   |         |           |          |        |          |        |
|                | 08:00 – 16:30 |   |         |           |          |        |          |        |
|                | 16:30 – 19:00 |   |         |           |          |        |          |        |
|                | 19:00 – 24:00 |   |         |           |          |        |          |        |

| Legend |   |
|--------|---|
|        | Timeslots where the Service must be available according to the SLA and where corrective actions will be taken to resolve detected Incidents.              |
|        | Timeslots where the Service will be available provided there are no blocking Incidents. If these incidents do appear, no corrective action will be taken. |
|        | Timeslots where unavailability can occur.   |

### 1.5.2. Support Window

The default support windows defined in the MSA (Chapter 5.1.1 service, Support and Maintenance window) is applicable for this SLA.

| Support Window |               |  |         |           |          |        |          |        |
|----------------|---------------|--|---------|-----------|----------|--------|----------|--------|
|                |               | Day of the week (Closing day of the eHealth platform = Sunday) |         |           |          |        |          |        |
|                |               | Monday   | Tuesday | Wednesday | Thursday | Friday | Saturday | Sunday |
| Day period     | 00:00 – 07:00 |  |         |           |          |        |          |        |
|                | 07:00 – 08:00 |  |         |           |          |        |          |        |
|                | 08:00 – 16:30 |  |         |           |          |        |          |        |
|                | 16:30 – 19:00 |  |         |           |          |        |          |        |
|                | 19:00 – 20:00 |  |         |           |          |        |          |        |
|                | 20:00 – 24:00 |  |         |           |          |        |          |        |

| Legend |  |
|--------|--|
|        | Timeslots during which the eHealth Contact Center is available for the End-Users with a second line support for Infrastructure (HW, OS, Middleware and DB)   |
|        | Timeslots during which the eHealth Contact Center is available for the End-Users with a second line support, including the Application Support   |
|        | Timeslots during which the eHealth Contact Center is unavailable for the End-Users. The End-User will have the possibility to record a voice message that will be treated on the next working day. |

### 1.5.3. Maintenance Windows & Planned Interventions

The eHealth platform will strive for limiting as much as possible the impact and duration of the planned interventions. Today, the eHealth platform is committed to make efforts so planned unavailability's do not exceed one to a few hours per year.

Portal, Network interventions and application release: 2 times a year.

### 1.5.4. Unplanned Interventions


In exceptional circumstances, unplanned interventions may be needed in order to restore the service.

## 2. Service scope

### 2.1. eHealth Service

#### 2.1.1. Architecture overview

High level overview diagram:



#### 2.1.2. Functionality

The eHBox2eBox is a web service (WS) allowing professionals to send messages to the Social Security eBox via the eHBox interface. The eHBox2eBox sends messages, according to an analog message structure of the eHealthBox, and translates them so they are compatible with the Social Security eBox.

More technically: the incoming request to send a message, coming from the end user, is translated at the level of the eHealth platform and sent to the parallel request on the eBox backend. Depending on the sender, this is the enterprise or citizen backend.

#### 2.1.3. Abbreviations

|     |                            |
|-----|----------------------------|
| STS | Secure Token Service       |
| UAM | User and Access Management |

## 2.2. Business criticality

The Service Level Criticality (as described in the MSA) for this on-line Basic Service is **PLATINUM**.

## 2.3. Interdependencies

The services covered by this Service Level Agreement are functionally dependent upon:

- authentic sources data update frequencies and data qualities;
- services offered by CBSS and CBE for data respectively concerning Belgian physical person recognised by Belgian National register and Belgian companies recognised by CBE.

The eHBox2eBox services depend on the Certification eHealth base service to ensure that only authorised entities can have access to these services either web app or web services.

### 3. List of Service Levels

| Service    | KPI                           | SL ID | Condition                | Measure based on   | Limit | Service Window          | Objective Committed | Objective Target |
|------------|-------------------------------|-------|--------------------------|--------------------|-------|-------------------------|---------------------|------------------|
| eHBox2eBox | Availability<br>eHBox2eBox WS |       | Transaction passes       | Fictitious request |       | Mo – Su<br>0:00 – 24:00 | 99,9%               | 99,9%            |
|            | Performance<br>eHBox2eBox WS  |       | Response time ≤ 4<br>sec | Real transactions  |       | Mo – Su<br>0:00 – 24:00 | N/A                 | 95%              |

*Table 1* : List of key performance indicators (KPI) per functionality in iteration 1

## 4. Detailed Service Level

### 4.1. Availability eH2eBox

| Objectives                      |  | Ref: 2770-01  |                |                         |                         |           |        |                         |                      |       |       |  |
|---------------------------------|--|---------------|----------------|-------------------------|-------------------------|-----------|--------|-------------------------|----------------------|-------|-------|--|
| Definition                      | <ul style="list-style-type: none"> <li>The eHealth WebService eH2eBox is considered to be available when the following sequence ends successfully:                             <ul style="list-style-type: none"> <li>Publish an ehbox message</li> <li>Receive a SUCCES code in the response</li> </ul> </li> <li>Planned interventions executed within the Maintenance Window are not recorded as unavailable time.</li> <li>Unavailability of eBox will not be recorded as unavailable time.</li> </ul>   |               |                |                         |                         |           |        |                         |                      |       |       |  |
| Measuring method                | <ul style="list-style-type: none"> <li>The availability of the different functionalities is measured by executing the test scripts every 5 minutes. When the script is executed with as result a Status "OK", the test "passed".</li> <li>When the script is executed with an other result, the test "failed"</li> <li>Measuring is always done on test scenarios</li> </ul>   |               |                |                         |                         |           |        |                         |                      |       |       |  |
| Calculation                     | $Availability = \frac{\sum Passed\ Tests \times 100}{\sum Total\ Tests} \%$ <ul style="list-style-type: none"> <li>Total Tests = Total number of tests launched within corrected timeframe</li> <li>Passed Tests = Total number of tests that resulted in a status "OK" within the same timeframe</li> <li>Corrections are applicable on tests that are not taken into account because they were caused:                             <ul style="list-style-type: none"> <li>by a Validated Authentic Source or partner application out of scope of this SLA</li> <li>by a failing monitoring tool</li> </ul> </li> </ul> |               |                |                         |                         |           |        |                         |                      |       |       |  |
| Reporting and evaluation period | <ul style="list-style-type: none"> <li>The availability is calculated and reported monthly. Corrective interventions are initiated when appropriate.</li> <li>The formal evaluation however is done on a yearly basis.</li> </ul>  |               |                |                         |                         |           |        |                         |                      |       |       |  |
| Service Level Objectives        | <table border="1"> <thead> <tr> <th rowspan="2">Functionality</th> <th rowspan="2">Service Window</th> <th colspan="2">Service Level Objective</th> </tr> <tr> <th>Committed</th> <th>Target</th> </tr> </thead> <tbody> <tr> <td>Availability eH2eBox WS</td> <td>Mo – Su 0:00 – 24:00</td> <td>99,9%</td> <td>99,9%</td> </tr> </tbody> </table>   | Functionality | Service Window | Service Level Objective |                         | Committed | Target | Availability eH2eBox WS | Mo – Su 0:00 – 24:00 | 99,9% | 99,9% |  |
|                                 | Functionality  |               |                | Service Window          | Service Level Objective |           |        |                         |                      |       |       |  |
| Committed                       |  | Target        |                |                         |                         |           |        |                         |                      |       |       |  |
| Availability eH2eBox WS         | Mo – Su 0:00 – 24:00   | 99,9%         | 99,9%          |                         |                         |           |        |                         |                      |       |       |  |

| Performance eH2eBoxObjectives |   |
|-------------------------------|---|
| Definition                    | <ul style="list-style-type: none"> <li>The performance of the eHealth eH2eBox webservice refers to its response time. Response time meaning the time needed to execute a request. This request can be:                             <ul style="list-style-type: none"> <li>Send Message (depends on Social Security)</li> </ul> </li> <li>Attention: The response time does not include:                             <ul style="list-style-type: none"> <li>The time needed to deliver the information over the Internet</li> <li>The time needed to process the information at the End Users premises.</li> </ul> </li> </ul> |
| Measuring method              | <ul style="list-style-type: none"> <li>This response time is measured on the Reverse Proxies. Both start time (request received) and stop time (answer sent to the End User) are measured and stored in a database.</li> <li>Measuring is done on real transactions, and only on those having a "stop time" within the measuring period.</li> </ul>   |

| Calculation                     | <ul style="list-style-type: none"> <li>All response times are calculated: Stop time – Start time for every request.</li> <li>The percentage that meets the target is calculated based on following formula:</li> </ul> $Performance = \frac{\sum Tests\ meeting\ the\ target \times 100}{\sum Total\ Tests} \%$                                     |               |  |           |        |                       |
|---------------------------------|---|---------------|--|-----------|--------|-----------------------|
| Reporting and evaluation period | <ul style="list-style-type: none"> <li>The performance is calculated and reported monthly. Corrective interventions are initiated when appropriate.</li> <li>The formal evaluation however is done on a yearly basis.</li> <li>Only target (no commitment) is possible as it depends on external resources, out of the scope of the SLA.</li> </ul> |               |  |           |        |                       |
| Service Level Objectives        | <b>Functionality</b>  | <b>Target</b> | <b>Service Level Objective</b>   |           |        |                       |
|                                 |   |               | <table border="1"> <thead> <tr> <th data-bbox="1139 645 1316 701">Committed</th> <th data-bbox="1316 645 1489 701">Target</th> </tr> </thead> <tbody> <tr> <td data-bbox="1139 701 1316 701">N/A (depends on eBox)</td> <td data-bbox="1316 701 1489 701">95,0%</td> </tr> </tbody> </table> | Committed | Target | N/A (depends on eBox) |
| Committed                       | Target  |               |  |           |        |                       |
| N/A (depends on eBox)           | 95,0%   |               |  |           |        |                       |
|                                 | Performance eH2eBox ws  | < 4 sec       |  |           |        |                       |