

Service Level Agreement Base Service: Portal Version 3 dd 24/09/2018

This document is provided to you free of charge by the

eHealth platform

Willebroekkaai 38 – 1000 Brussel 38, Quai de Willebroeck – 1000 Bruxelles

All are free to circulate this document with reference to the URL source.

Service Level Agreement

Base Service: Portal

Between

Service provider

eHealth Platform

Quai de Willebroeck, 38

1000 BRUSSELS

To the attention of: the user community

Service customer

User Community

<u>Author:</u> Service Management

<u>Date:</u> 24/09/2018

Version:03Status:FinalType:PublicConfidentiality:

<u>Language</u>: English <u>Exhibit of</u>: MSA

Table of content

Tabl	e of co	ntent	. 3
1.	Doo	ument management	. 4
1.	1.	Document history	. 4
1.	2.	Document references	. 4
1.	3.	Goal of the document	. 4
1.	4.	Features	. 4
1.	5.	Validity of the agreement	. 5
1.	6.	Service and maintenance window	. 5
	1.6.1.	Service Level	. 5
	1.6.2.	Service window	. 5
	1.6.3.	Support Window	. 6
	1.6.4.	Maintenance window & planned interventions	. 7
	1.6.5.	Unplanned interventions	. 7
2.	Ser	rice scope	. 8
2.	1.	eHealth service	. 8
	2.1.1.	General	. 8
2.	2.	Business criticality	10
2.	3.	Interdependencies	10
3.	List	of service levels	11
4.	Det	ailed service level per service	12
	4.1.1.	Availability of Portal Consultation and Content Management	12
	4.1.2.	Availability of the link to My eHealth	13
	4.1.3.	Availability of the Registry	15
	4.1.4.	Availability of the ETEE Requestor GUI	16
	4.1.5.	Availability of Kmehr website	17
	4.1.6.	Performance – Interactive response time	19
	4.1.7.	Performance – Download time	20

1. Document management

1.1. Document history

Version	Date	Author	Description of changes / remarks
2015.0 1	May 2015	eHealth Service Management	Update
2017.1	April 2017	eHealth Service Management	Update KPI
02	02/03/2018	eHealth Service Management	Lay-out
03	24/09/2018	eHealth Service Management	Update KPI

1.2. Document references

ID	Title	Version	Date	Author
	Master Service Agreement V 5.0 - 2016	V5.0	June 23 rd , 2016	

1.3. Goal of the document

The objective of this document is to define the Service Level Agreement (SLA) for the set of services included in the *Base Service Portal services* proposed by the eHealth-platform. It defines the minimum level of service offered on the eHealth-platform, and provides eHealth's own understanding of service level offering, its measurement methods and its objectives in the long run.

The purpose of the portal of the eHealth platform is to offer a central entry point for dedicated information and access to healthcare related applications.

1.4. Features

The portal offers following applications/functionalities that are managed by the Service Provider:

- Consultation of information pages
- Consultation of download area and Registry
- Access to a contact form
- Registration for Newsletter
- Creation and management of information pages (CMS)
- Search engine
- Forum

• Estehr (list of standards KMEHR¹)

Following functionalities of the Basic Service Portal are hosted by the Service Provider:

- Access to Basic Services and Added Value Services
- Access to other Portals or websites (e.g. My eHealth)

This document is an appendix to the *Master Service Agreement (MSA)*. Information given in this document takes precedence over the data regarding the same subjects given in former versions and in the MSA. Items described in the MSA include, for instance:

- a broad description of the business services offered by the eHealth-platform to the applications which may want to make use of them;
- description of cross-sectional services offered on the eHealth–platform;
- description of support services, including registering, managing and solving possible incidents with the Portal set of services, managing changes;
- performance indicators related to those services.

1.5. Validity of the agreement

This document is valid as long as the Base Service Portal is part of the eHealth-platform offering services.

Once a year, the levels of service proposed will be reviewed and confirmed for the next year.

1.6. Service and maintenance window

1.6.1. Service Level

By default, the priority for the support for this Basic Service (as described in the MSA) is BRONZE. Nevertheless, objectives described below are valid only for the production environment.

1.6.2. Service window

The time frame during which the eHealth services are offered to the client applications, is defined in terms of days and hours. Standard working days are all days of the year, except during the biannual maintenance periods and Bank Holidays.

 $^{^{1}}$ Kind Messages For Electronic Healthcare Record – Belgian implementation standard

The following table summarises the eHealth service window.

	Service Window								
	Day of the week (closing days of Service Provider = Sunday)								
		Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday	
	00:00 - 07:00								
Ъ	07:00 - 08:00								
Day period	08:00 – 16:30								
аур	16:30 – 19:00								
Δ	19:00 – 20:00								
	20:00 – 24:00								

Legend							
	Timeslots where the Service must be available according to the SLA and where corrective actions will be taken to resolve detected incidents.						
	Timeslots where the Service will be available provided there are no blocking Incidents. If these incidents do appear, no corrective action will be taken.						
	Timeslots where unavailability can occur.						

1.6.3. Support Window

	Support Window							
			Day of th	ne week (Closir	ng days of Serv	vice Provider =	Sunday)	
		Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
	00:00 - 07:00							
70	07:00 - 08:00							
erio	08:00 - 16:30							
Day period	16:30 – 19:00							
۵	19:00 – 20:00							
	20:00 – 24:00							

Legend							
	Timeslots where the Service must be available according to the SLA and where corrective actions will be taken to resolve detected incidents.						
	Timeslots where the Service will be available provided there are no blocking Incidents. If these incidents do appear, no corrective action will be taken.						
	Timeslots where unavailability can occur.						

1.6.4. Maintenance window & planned interventions

The eHealth platform will strive for limiting as much as possible the impact and duration of the planned interventions. Today, eHealth is committed to make efforts so planned unavailability's do not exceed one to a few hours per year.

• Portal, Network interventions and application releases: 2 times a year.

1.6.5. Unplanned interventions


Under exceptional circumstances, unplanned interventions may be needed in order to restore the service.

2. Service scope

2.1. eHealth service

2.1.1. General

The portal of the eHealth platform



2.1.1.1. Consultations

- Following functionalities are technically tied together in a unique package and will therefore be measured as a whole (see par 4.1.1.):
 - Home page Language choice
 - Consultation of information pages
 - Consultation of Support files
 - Registration for Newsletter
 - Access to log-in page (choice between e-ID, Token, ITSME, ...)
 - Access to the page giving an overview of the available AVS
 - Access to a contact form
 - Access to a working Search engine
 - Access to the Calendar
- The test(s) performed to measure the availability of this service, ensures that all above mentioned components are available.

2.1.1.2. Content Management Application

- Access to the status page of the Content Management Application and it's indexing status
- Ability to search and check the status of all contents and verify which revision is publish in which environments
- Ability to create and edit contents in draft
- Ability to finalize drafts and publish contents

2.1.1.3. Access to Basic Services and Added Value Services (AVS)

- The link to an AVS that is visualized in a frame of the eHealth Portal is built up by the
 browser on the Client PC calling the concerned AVS and displaying it in the frame. Both
 Client PC and the concerned AVS are out of scope of this SLA .Therefore, the availability of
 this link will be measured and reported, but no objective will be defined.
- Also, when above mentioned links do not function properly, a Service request can be addressed to the Service Provider and appropriate actions will be initiated to restore normal operations.

2.1.1.4. Access to other Portals or websites

- The links (URL) to other websites or portals are dynamic and are built on the moment that they are needed (that they are clicked on). Part of the building blocks to build this link is managed by the Service Provider; another part is managed by the Constituent. An objective for the availability of this link is defined in this SLA. However, as the responsibility is shared between Constituent and Service Provider, some corrections may be applied when the origin of the unavailability is out of scope of the SLA.
- Also, when above mentioned links do not function properly, a Service request can be addressed to the Service Provider and appropriate actions will be initiated to restore normal operations.

2.1.1.5. Access to the Registry

- Oracle Service Registry is a webapp provided by Oracle to maintain a list of available services (in the widest sense of the word), to link to the documentation, to organize and classify the services (e.g. based on keywords), and to provide a single point of information for all services.
- eHealth uses this product to document and organize all of their web services.
- The application is built as a webapp around a collection of web services following the UDDI standards. The monitoring will check if the underlying web service is available, and if data can be found in the registry.

2.1.1.6. ETEE Requestor GUI

- This GUI is used to request new eHealth Certificate. For global and detailed information about it, you can refer to Certificates Management SLA.
- In short, the user initiates the request for a new eHealth Certificate via the ETEE Requestor GUI. This application is a fat client (Swing) which can be retrieved with a link on the eHealth Portal via Java Web Start (.inlp file).
- When the Certificate is available, ETEE Requestor GUI is called again to retrieve the authentication Certificate and to Store in locally. The Encryption Certificate (encryption key pair is also generated by the ETEE Requestor GUI.

2.1.1.7. Access to Standards

- This website offers a central point for documentation of the Standards (KMEHR normative elements).
- The tests performed to measure the availability of this service, ensures that the Standards website is available.

2.2. Business criticality

The business criticality of Portal services is **Bronze** as it supports mandatory business processes that should be processed synchronously and within some legal periods.

2.3. Interdependencies

NA

Service	КРІ	SL ID	Condition	Measure based on	Limit	Service Window	Objective Committed	Objective Target
eH Portal	Availability of Portal Live		Test script passes	Fictious request		Mo – Fr 8:00 –16:30	99,5%	99,9%
	Availability of Platform Live		Test script passes	Fictious request		Mo – Fr 8:00 – 16:30	99,5%	99,9%
	Availability of the link to a AVS		Test script passes	Fictious request		Mo – Fr 8:00 – 16:30	N/A	99,9%
	Availability of the link to My eHealth		Test script passes	Fictious request		Mo – Fr 8:00 – 16:30	99,5%	99,9%
	Availability of the Registry		Test script passes	Fictious request		Mo – Fr 8:00 – 16:30	99,5%	99,9%
	Availability of the ETEE Requestor GUI (java Webstart)		Test script passes	Fictious request		Mo – Fr 8:00 – 16:30	99,5%	99,9%
	Availability of Standards Live		Test script passes	Fictious request		Mo – Fr 8:00 – 16:30	99,5%	99,9%
	Performance – Interactive response time (Live)		Response time ≤ 4 sec	Real transactions		Mo – Fr 8:00 – 16:30	98%	99%
	Performance – Download time		Download time ≤ 10 sec	Download of a testfile	Testfile = +/- 1MB	Mo – Fr 8:00 – 16:30	98%	99%

<u>Table 1:</u> List of key performance indicators (KPI) per service

4. Detailed service level per service

4.1.1. Availability of Live

	Portal O	bjectives					
Definition		Service consists of a single to	est checking the ava	ailability of:			
Definition	Home page						
	Consultation	of information pages					
		of technical search engine					
	Registration	for Newsletter					
	Access to log	g-in page (choice between e-	ID and Token)				
	Access to a	contact form	,				
	Access to a worki	ing Search engine					
	 Planned interventions e unavailable time. 	executed within the Mainten	ance Window are r	not recorded as			
Measuring method	The availability of the di every 5 minutes.	ifferent functionalities is me	asured by executin	g the test scripts			
	Measuring is always do:	ne based on test scenarios					
Calculation	Availabili ty =	$\frac{\sum Passed\ Tests\ x\ 100}{\sum Total\ Tests}$	0_%				
	 Total Test 	s = Total number of tests lau	inched within corre	ected timeframe			
		sts = Total number of tests t timeframe	hat resulted in a st	atus "OK" within			
		ns are applicable on tests tha hey were caused :	at are not taken int	o account			
		by a Validated Authentic Sou scope of this SLA	urce or partner app	olication out of			
	•	by a failing monitoring tool					
Reporting and evaluation period	The availability is calcula when appropriate.	ted and reported monthly. C	Corrective intervent	tions are initiated			
		owever is done on a yearly b	asis.				
Service Level Objectives	Functionality	Service Window	Service Lev	el Objective			
			Committed	Target			
	Availability of Portal Live m	Mon – Fri 8:00 – 16:30	99,5%	99,9%			

4.1.2. Availability of Platform Live

	Objec	ctives				
The eHealth Platform Live Service consists of a single test checking the availability of:						
Measuring method	 Planned interventions executed within the Maintenance Window are not recorded as unavailable time. The availability of the different functionalities is measured by executing the test scripts every 5 minutes. 					
Calculation	• Measuring is always done based on test scenarios $Availability = \frac{\sum Passed\ Tests\ x\ 100}{\sum Total\ Tests}\%$					
	 Total Tests = Total number of tests launched within corrected timeframe Passed Tests = Total number of tests that resulted in a status "OK" within the same timeframe Corrections are applicable on tests that are not taken into account because they were caused: by a Validated Authentic Source or partner application out of scope of this SLA by a failing monitoring tool 					
Reporting and evaluation period	 The availability is calculated and reported monthly. Corrective interventions are initiated when appropriate. The formal evaluation however is done on a yearly basis. 					
Service Level Objectives	Functionality	Service Window	Service Lev	el Objective		
			Committed	Target		
	Availability of Platform Live	Mon – Fri 8:00 – 16:30	99,5%	99,9%		

4.1.3. Availability of the link to My eHealth

Objectives						
• The link to My eHealth is available when						
	The homepage of My eHealth is reachable through the eHealth Portal.					
	 Planned interventions executed within the Maintenance Window are not recorded as unavailable time. 					
Measuring method	 The availability of the link is measured by executing the test scripts every 10 minutes. Measuring is always done based on test scenarios 					
Calculation						

	$Availability = \frac{\sum Passed\ Tests\ x\ 100}{\sum Total\ Tests}\%$					
	 Total Tests = Total number of tests launched within corrected timeframe Passed Tests = Total number of tests that resulted in a status "OK" within the same timeframe Corrections are applicable on tests that are not taken into account 					
	because they were caused: by a Validated Authentic Source or partner application out of scope of this SLA by a failing monitoring tool					
Reporting and evaluation period	when appropriate.	when appropriate.				
Service Level Objectives	Functionality Service Window Service Level Objective					
			Committed	Target		
	Availability of the link to My eHealth	Mon – Fri 8:00 – 16:30	99,5%	99,9%		

4.1.4. Availability of the Registry

	Obje	ctives			
Definition	 The Registry application is built as a web app around a collection of web services following the UDDI standards. The Registry is available when the underlying web service is available, and if data can be found in the registry. 				
	 registry. Planned interventions executed within the Maintenance Window are not recorded as unavailable time. 				
Measuring method	 The availability of the web service is measured by executing the test scripts every 5 minutes. 				
	 Measuring is always do 	ne based on test scenarios			
Calculation	$Availability = \frac{\sum Passed\ Tests\ x\ 100}{\sum Total\ Tests}\%$ $\circ \text{Total\ Tests} = \text{Total\ number\ of\ tests\ launched\ within\ corrected\ timeframe}$ $\circ \text{Passed\ Tests} = \text{Total\ number\ of\ tests\ that\ resulted\ in\ a\ status\ "OK"\ within\ the\ same\ timeframe}$ $\circ \text{Corrections\ are\ applicable\ on\ tests\ that\ are\ not\ taken\ into\ account\ because\ they\ were\ caused\ :}$ $\bullet \text{by\ a\ Validated\ Authentic\ Source\ or\ partner\ application\ out\ of}$				
	scope of this SLA by a failing monitoring tool				
Reporting and evaluation period	 The availability is calculated and reported monthly. Corrective interventions are initiated when appropriate. The formal evaluation however is done on a yearly basis. 				
Service Level Objectives	Functionality	Service Window	Service Le	evel Objective	
			Committed	Target	
	Availability of the Registry	Mon – Fri 8:00 – 16:30	99,5%	99,9%	

4.1.5. Availability of the ETEE Requestor GUI

	Obje	ctives			
Definition	The ETEE Requestor GUI is available when				
	 The fat client can be retrieved from the portal via Java Web Start (.jnlp file) in its fr and nl version. 				
	Planned interventions executed within the Maintenance Window are not recorded as unavailable time.				
Measuring method	The availability of the link is measured by executing the test scripts every 5 minutes.				
	Measuring is always do:	ne based on test scenarios			
Calculation	$Availability = \frac{\sum Passed\ Tests\ x\ 100}{\sum Total\ Tests}\%$ o Total Tests = Total number of tests launched within corrected timeframe o Passed Tests = Total number of tests that resulted in a status "OK" within the same timeframe o Corrections are applicable on tests that are not taken into account because they were caused: • by a Validated Authentic Source or partner application out of scope of this SLA • by a failing monitoring tool				
Reporting and evaluation period	 The availability is calculated and reported monthly. Corrective interventions are initiated when appropriate. The formal evaluation however is done on a yearly basis. 				
Samina Laval Objectives	Functionality Service Window Service Level Objective				
Service Level Objectives	- unctionality	Service William	Committed	Target	
	Availability of the ETEE Requestor GUI	Mon – Fri 8:00 – 16:30	99,5%	99,9%	

4.1.6. Availability of standards Live

Objectives					
Definition	The link to KMEHR Website is available when				
	 The homepage of the website https://www.ehealth.fgov.be/standards/kmehr is available. 				
	 Planned interventions executed within the Maintenance Window are not recorded as unavailable time. 				
Measuring method	The availability of the link is measured by executing the test scripts every 5 minutes.				
	 Measuring is always do: 	ne based on test scenarios			
Calculation	$Availability = \frac{\sum Passed\ Tests\ x\ 100}{\sum Total\ Tests}\%$ $\circ \text{Total\ Tests} = \text{Total\ number\ of\ tests\ launched\ within\ corrected\ timeframe}$ $\circ \text{Passed\ Tests} = \text{Total\ number\ of\ tests\ that\ resulted\ in\ a\ status\ "OK"\ within\ the\ same\ timeframe}$ $\circ \text{Corrections\ are\ applicable\ on\ tests\ that\ are\ not\ taken\ into\ account\ because\ they\ were\ caused\ :}$ $\bullet \text{by\ a\ failing\ monitoring\ tool}$				
Reporting and evaluation period	The availability is calculated and reported monthly. Corrective interventions are initiated when appropriate.				
	The formal evaluation however is done on a yearly basis.				
Service Level Objectives	Functionality	Service Window	Service Le	evel Objective	
			Committed	Target	
	Availability of the standards Live	Mon – Fri 8:00 – 16:30	99,0%	99,9%	

4.1.7. Availability of Content Management (Staging, Preview & Admin)

Objectives					
Definition	The eHealth Content Management Service consists of a single test checking the availability of:				
	The status page of the	websiteshttps://portal-admin.	ehealth.fgov.be/st	tatus is available	
	 The status page of the websites https://platform-admin.ehealth.fgov.be/status is available The status page of the websites https://standards-admin.ehealth.fgov.be/status is available The status page of the websites https://belrai-admin.ehealth.fgov.be/status is available The preview portal homepage is available: https://extranet.ehealth.fgov.be/preview/fr 				
	 The staging portal hom 	epage is available: https://ext	ranet.ehealth.fgov	v.be/staging/fr	
	The live portal homepa	ge is available: https://extrane	et.ehealth.fgov.be	/live/fr	
	 The preview platform h https://extranet.ehealth 	omepage is available: .fgov.be/preview/ehealthplatf	orm/fr		
	The staging platform homepage is available: https://extranet.ehealth.fgov.be/staging/ehealthplatform/fr				
	The live platform homepage is available: https://extranet.ehealth.fgov.be/ehealthplatform/fr				
	The preview standards homepage is available: https://extranet.ehealth.fgov.be/preview/standards/kmehr/en				
	The staging standards homepage is available: https://extranet.ehealth.fgov.be/staging/standards/kmehr/en				
	The live standards homepage is available: https://extranet.ehealth.fgov.be/standards/kmehr/en				
	Planned interventions executed within the Maintenance Window are not recorded as unavailable time.				
Measuring method	 The availability of the link is measured by executing the test scripts every 5 minutes. Measuring is always done based on test scenarios 				
Calculation	$Availability = \frac{\sum Passed\ Tests\ x\ 100}{\sum Total\ Tests}\%$				
	 Total Tests = Total number of tests launched within corrected timeframe Passed Tests = Total number of tests that resulted in a status "OK" within the come timeframe 				
	the same timeframe Orrections are applicable on tests that are not taken into account because they were caused:				
	by a failing monitoring tool				
Reporting and evaluation period	The availability is calculated and reported monthly. Corrective interventions are initiated when appropriate.				
	The formal evaluation however is done on a yearly basis. Ordinal Windows American Service Level Objects				
Service Level Objectives	Functionality	Service Window	Service Lo	evel Objective	
	Availability of the Content Management (Staging, preview & Admin)	Mon – Fri 8:00 – 16:30	99,5%	Target 99,9%	

4.1.8. Performance – Interactive response time

	Objec	tives		
Definition	 This Performance metric of the Portal service refers to its interactive response time. Response time meaning the time needed to execute a request. This request can be Displaying a webpage Executing a search (with the search engine) Attention: The response time does not include: The time needed to deliver the information over the Internet The time needed to process the information at the End Users premises. 			
Measuring method	 Both start time (request received) and stop time (answer sent to the End User) are measured and stored in a database. Measuring is done on real transactions, and only on those having a "stop time" within the measuring period. 			
Calculation	• All response times are calculated: Stop time – Start time for every request. • The percentage that meets the target is calculated based on following formula: $Performance = \frac{\sum Tests\ meeting\ the\ target\ x\ 100}{\sum Total\ Tests}\%$			
Reporting and evaluation period	 The performance is calculated and reported monthly. Corrective interventions are initiated when appropriate. The formal evaluation however is done on a yearly basis. 			
Service Level Objectives	Functionality	Target		vel Objective
	Response time	4 sec	Committed 98%	Target 99%

4.1.9. Performance – Download time

Objectives					
Definition		This Performance metric of the Portal service refers to its download capabilities. Download time meaning the time needed to download a file of +/- 1 MB			
	 Attention: The response time does not include: The time needed to deliver the information over the Internet The time needed to process the information at the End Users premises. 				
Measuring method	The download is executed every 10 minutes by a test scenario. Both download start time and download stop time are measured and stored in a database.				
Calculation	• All response times are calculated: Stop time – Start time for every request. • The percentage that meets the target is calculated based on following formula: $Performance = \frac{\sum Tests\ meeting\ the\ target\ x\ 100}{\sum Total\ Tests}\%$				
Reporting and evaluation period	 The performance is calculated and reported monthly. Corrective interventions are initiated when appropriate. The formal evaluation however is done on a yearly basis. 				
Service Level Objectives	Functionality	Target	Service Level Objective		
			Committed	Target	
	Download time	10 sec	98%	99%	